

Attachment A

Recommended Conditions of Consent
--

PART A - DEFERRED COMMENCEMENT CONDITIONS

SCHEDULE 1

The following deferred commencement conditions must be satisfied prior to the consent becoming operative:

(A) The consent is not to operate until the following condition is satisfied:

(1) VOLUNTARY PLANNING AGREEMENT

- (a) The Voluntary Planning Agreement prepared in accordance with the public benefit offer made by Rosebery Properties Pty Ltd c/o Corio Projects Pty Ltd on 8 September 2025 is exhibited, executed and submitted to the City; and
 - (b) The monetary contribution must be paid in accordance with the Voluntary Planning Agreement; and
 - (c) The Voluntary Planning Agreement, as executed, must be registered on the title of the land. Reason To ensure execution and registration of the Voluntary Planning Agreement.
- (B) Evidence that will sufficiently enable Council to be satisfied as to those matters identified in deferred commencement conditions, as indicated above, must be submitted to Council within 24 months of the date of determination of this deferred commencement consent failing which, this deferred development consent will lapse pursuant to section 4.53(6) of the Environmental Planning and Assessment Act 1979.
- (C) The consent will not operate until such time that the Council notifies the Applicant in writing that deferred commencement consent conditions, as indicated above, have been satisfied.
- (D) Upon Council giving written notification to the Applicant that the deferred commencement conditions have been satisfied, the consent will become operative from the date of that written notification, subject to the conditions of consent, as detailed in Part B Conditions of Consent (Once the Consent is Operation).

PART B – CONDITIONS OF CONSENT

SCHEDULE 1A

GENERAL CONDITIONS

(1) APPROVED DEVELOPMENT

- (a) Development must be in accordance with Development Application No. D/2025/184, dated 5 March 2025 dated and the following drawings prepared by WMK:

Drawing Number	Revision	Drawing Name	Date
DA100	B	GA Plan – Basement	15/07/25
DA101	B	GA Plan – Ground Floor	15/07/25
DA102	B	GA Plan – Level 01	15/07/25
DA103	B	GA Plan – Level 02	15/07/25
DA104	B	GA Plan – Level 03	15/07/25
DA105	B	GA Plan – Level 04	15/07/25
DA106	B	GA Plan – Level 05	15/07/25
DA107	B	GA Plan – Level 06	15/07/25
DA108	B	GA Plan – Level 07	15/07/25
DA109	B	GA Plan – Roof	15/07/25
DA150, DA151 and DA152	B	Adaptable Apartment Plans – Sheet 1, 2 and 3	15/07/25
DA500	B	External Elevations – North & South	15/07/25
DA501	B	External Elevations – West & East	15/07/25
DA502	B	Internal Elevations	15/07/25
DA600	B	Building Sections	15/07/25
DA601	A	Breezeway Section	15/07/25
DA602	A	Typical Breezeway Section	15/07/25
DA603	B	Privacy View Line Diagrams	15/07/25
DA701	A	Western Façade Detail	15/07/25

Drawing Number	Revision	Drawing Name	Date
DA702	A	Eastern Façade Detail	15/07/25
DA703	A	Typical Façade Details – Level 5-7	15/07/25
DA704	A	Typical Façade Detail with Privacy Screening	15/07/25
DA705	A	Typical Privacy Screening Detail	15/07/25
DA905	B	Cross Ventilation Compliance Plans	15/07/25
DA706	A	Typical Planter Box Balustrade Detail	15/07/25
DA910	B	Storage Diagrams	15/07/25
DA911	B	Storage Schedule	15/07/25
DA920	B	GFA & Communal Open Space	18/07/25
000	B	Cover Sheet	18/07/25
100	B	Landscape Masterplan Ground Floor	18/07/25
101	B	Landscape Master plan Level 01	18/07/25
400	B	Planter Schedule	18/07/25
401	B	Softworks Plan Ground Floor	18/07/25
402	B	Softworks Plan Ground Floor	18/07/25
403	B	Softworks Plan Ground Floor	18/07/25
404	B	Softworks Plan Ground Floor	18/07/25
405	B	Softworks Plan Level 01	18/07/25
406	B	Softworks Plan Level 05	18/07/25
407	B	Softworks Plan Level 05	18/07/25
408	B	Softworks Plan Level 06	18/07/25
600	B	Landscape Details	18/07/25
601	B	Landscape Details	18/07/25
602	B	Landscape Details	18/07/25
700	B	Landscape Specification	18/07/25

and as amended by the conditions of this consent.

- (b) In the event of any inconsistency between the approved plans and supplementary documentation, the drawings will prevail.

Reason

To ensure all parties are aware of the approved plans and supporting documentation that applies to the development.

(2) FLOOR SPACE RATIO - ALL OTHER AREAS

The following applies to Floor Space Ratio:

- (a) The Floor Space Ratio for the retail use must not exceed 0.015:1, for the residential use must not exceed 2.13:1; and for the mixed use must not exceed 2.15:1 calculated in accordance with the Sydney LEP 2012. For the purposes of the calculation of FSR, the Gross Floor Area of the retail component is 81sqm, for the residential component is 11,445sqm, and the total Gross Floor Area is 11,526sqm.
- (b) Prior to an Occupation Certificate being issued, a Registered Surveyor must provide certification of the total and component Gross Floor Areas (by use) in the development, utilising the definition under Sydney LEP 2012, applicable at the time of development consent, to the satisfaction of the Principal Certifier.

Reason

To ensure the constructed development complies with the approved floor space ratio.

(3) BUILDING HEIGHT

- (a) The height of the building (for building A and B) must not exceed 28.83m, being RL 52.350 (AHD) for the lift overrun and to the top of the building and RL 50.70 (AHD) to the parapet of the building.
- (b) Prior to an Occupation Certificate being issued, a Registered Surveyor must provide certification that the height of the building accords with (a) above, to the satisfaction of the Principal Certifier.

Reason

To ensure the constructed development complies with the approved height.

(4) COMPLIANCE WITH VOLUNTARY PLANNING AGREEMENT

The terms of the planning agreement entered into in accordance with Deferred Commencement Condition 1 are to be complied with.

Full compliance with the terms of the registered VPA and any subsequent variations in relation to terms relevant to the land dedication and through site link, to the satisfaction of Council.

Full compliance must be given to the conditions of consent contained within the Notice of Determination, relevant to the land dedication, to the satisfaction of Council.

Land to be dedicated or transferred to the City must be completed in accordance with the registered VPA.

Reason

To ensure the development complies with all terms of the planning agreement.

(5) DESIGN MODIFICATIONS – BASEMENT DEEP SOIL SETBACK

The plans are to be amended to show:

- (a) A 2m deep soil setback is required to the northern boundary of the basement level. The northern basement wall should align with the building setback above.
- (b) Any modifications to basement planning to achieve 5 (a) above.

The modifications are to be submitted to and approved by Council's Executive Director City Planning & Development prior to the issue of any Construction Certificate.

Reason

To require amendments to the approved plans and supporting documentation following assessment of the development.

(6) DESIGN MODIFICATIONS

- (a) The entrance to the lobby in building B is to be redesigned to create a high-quality entry experience through:
 - (i) Increased landscaping and physical separation from the vehicle driveway
 - (ii) Increased landscape presentation to Dalmeny Avenue
 - (iii) Relocation of the hydrant booster southward and integration into the built fabric of the building. This must be accurately depicted/co-ordinated in plan and elevation. The fence line of B.G.03 may need to relocate further south to accommodate this.
- (b) Remove drafting errors to show the correct floor levels as per the updated flood report version C, August 2025.
- (c) The plans are to be amended to provide a target of 50% external solar shading (by area) to address summer solar heat gain through:
 - (i) external solar shading to the exposed glazing of the northern elevations of levels 1, 2 & 3 of both the Rosebery and Dalmeny Avenue buildings (50% effective at 12 midday in summer).

- (ii) external solar shading to the exposed glazing of the western elevation of the Rosebery Avenue and Dalmeny Avenue buildings (50% effective at 3pm in summer). External shading is permitted to intrude in the 3m setback line from Rosebery Avenue for the upper levels. Ground levels to both buildings is excluded from this requirement.
- (d) Additional privacy elements are to be incorporated into the private balcony balustrades to provide adequate privacy to private open space from the public domain. This could be addressed via colour matched solid metal upstands being added behind the metal palisade balcony treatments up to a height of 760mm.
- (e) Amend the balcony glazing extents / skylights in the roof of apartments A.7.03 and A.7.05 to demonstrate a minimum of 2 hours winter solar access achieved to both living areas and private open space. The solar skylight analysis plan should be updated to adequately address this.
- (f) Studio Apartment B.G.04 is to be removed, with internal area reallocated to waste storage/loading, removal of all apartment glazing, and removal of external terrace and associated privacy screening which is to be replaced by landscaping.

The modifications are to be submitted to and approved by Council's Executive Director City Planning Development & Transport prior to the issue of any Construction Certificate.

Reason

To require amendments to the approved plans and supporting documentation following assessment of the development.

(7) MATERIALS AND SAMPLES BOARD

A physical material sample board which specifies all proposed materials, finishes and colours, (including visible rainwater goods and services) keyed to each building elevation must be submitted to and approved by Council's Executive Director City Planning Development & Transport prior to a Construction Certificate for above ground works being issued. This material sample board must address the following:

- (a) WF5 Wall Finish 05 which is to be amended to a high-quality off-white metal panel
- (b) All metal panel details must also include the profile specification

The materials and samples board must not include generic material or colour descriptions or use terminology such as 'or similar'.

Reason:

To require the submission of a high-quality materials and samples board following assessment of the development.

(8) GLAZING

Prior to the issue of any Construction Certificate for above ground works, the following details are to be submitted to Council's Executive Director City Planning Development & Transport for approval as follows:

- (a) All transparent glass is to have a Visible Light Transmission (VLT) with a target above 60% and a Reflectivity not exceeding 20% to achieve a high level of transparency to provide visual depth and have a neutrality of colour. A consistency in appearance and colour characteristics between all facades is to be achieved.
- (b) The submitted details are to include physical samples of the glass types, details of the manner of assembly, and the glazing characteristics including the proposed Shading Coefficient, the VLT and the Reflectivity.

Reason:

To ensure clear and consistent glazing is used throughout

(9) GROUND LEVEL: FACADES / RESIDENTIAL INTERFACE / PUBLIC DOMAIN INTERFACE / CARPARK & LOADING ENTRY / SERVICES:

1:20 scale minimum plans, elevation and section details of the following ground level areas are to be submitted to and approved by Council's Executive Director City Planning Development & Transport prior to the issue of any Construction Certificate for above ground works. These are to demonstrate high-quality design, detailing, materiality and integration with the proposed façades, landscaping, and public domain interfaces.

- (a) ALL: Ground level residential interfaces including façade, private open space, stairs, fencing, gates, landscape and public domain interface facing Rosebery and Dalmeny Avenues which co-ordinates with the Landscape Report fence details and interface sections in landscape report reference TRIM 2025 461120, Landscape Section 1-4, pages 14-17, titled, Appendix 4 - Amended Landscape Report.pdf. Details are to demonstrate a high level of residential amenity, and how both private open space privacy and passive surveillance is achieved simultaneously.
- (b) BUILDING A: Ground level retail tenancy interface including façade, outdoor terrace, stairs, and public domain interface facing Rosebery Avenue and the southern through site link which co-ordinates with the Landscape Report interface sections in landscape report reference TRIM 2025 461120, Landscape Section 1-4, pages 14-17, titled, Appendix 4 - Amended Landscape Report.pdf
- (c) BUILDING B: The Dalmeny Avenue car park entrance area, including adjacent fire exit egress area, are to be amended to include high quality treatments to all faces including reveals up to the garage door / exit door lines which extend the façade treatments, including a high-quality soffit. The garage door is to be a high-quality panel lift door not a roller door, and, matched to the WF2 finish colour.
- (d) BUILDING B: Fire Hydrant Booster and Sprinkler Valve Cabinet facing Dalmeny Avenue, with doors matched to the WF1 finish colour.

- (e) BUILDING B: Substation.
- (f) BUILDING B: Southern through site link loading garage door, which is to be a high-quality panel lift door not a roller door, and, matched to the WF1 finish colour.

The required information must include detailed material, finishing, spacing, elemental sizing details. The information submitted should show a level of detail equivalent to For Construction detailing.

Reason:

To ensure high quality interfaces with the public domain and to demonstrate high quality residential amenity

(10) LAND SUBDIVISION – SUBDIVISION CERTIFICATE

Plan of subdivision and the issue of a Subdivision Certificate under Section 6.15 of the Environmental Planning and Assessment Act 1979 will require a separate application through the NSW Planning Portal to Council.

Reason

To ensure separate development consent is sought for the plan of subdivision and issue of a Subdivision Certificate.

(11) STRATA SUBDIVISION – DEVELOPMENT CONSENT

Any proposal for strata subdivision will require development consent and therefore the lodgement of a separate development application or complying development application and subsequent approval from Council, or an Registered Strata Certifier, of the Strata Plan – and issue of a Strata Certificate, under the *Strata Schemes Development Act 2015*.

Reason

To ensure separate development consent is sought for strata subdivision.

(12) LAND DEDICATION AND LAND TRANSFER

- (a) Land dedicated as road widening, reserve or public through-site link must be dedicated in compliance with the registered Planning Agreement(s) for the site and must not be encumbered by any Long-Term Environmental Management Plan.
- (b) Public domain works within the land to be dedicated must be sufficiently completed to the satisfaction of Council's Public Domain unit prior to the issue of any subdivision certificate.
- (c) Where there is a dedication in stratum, the lower limit of the dedication shall be 0.05 metres above the upper surface of the waterproofing membrane for the concrete roof of the basement structure below.

- (d) Proposed Lot 2, adjoining the northern boundary of the site, in the plan of proposed subdivision must be dedicated to the public as footpath/cycle-way and be a minimum of 6 metres wide.
- (e) A pedestrian through-site link, adjoining the southern boundary of the site, denoted (A1) in the plan of proposed subdivision is to be a minimum of 2 metres wide.
- (f) The land within the proposed dedication (Lot 2) and through-site link (A1) must be completed to a standard acceptable to Council's Public Domain unit prior to the issue of any subdivision certificate.
- (g) Land must be dedicated unencumbered. All leases, restrictions, covenants, easements and planning agreements must be extinguished prior to, or with the dedication of land, other than those designated as permitted encumbrances in the registered VPA for the site.
- (h) The land to be dedicated to the City (Lot 2) and through-site link (A1), as detailed in the Voluntary Planning Agreement for the site, is to be detailed in a plan of subdivision of the land to the satisfaction of Council. This plan is to be registered at NSW Land Registry Services prior to any Occupation Certificate being issued. The area to be dedicated must be shown as a separate lot or lots and numbered as such.

Reason

To ensure land to be dedicated to the City is not encumbered.

(13) THROUGH-SITE LINK

- (a) An Easement for Public Access variable width, limited in stratum, must be created pursuant to Section 88B of the *Conveyancing Act, 1919* in accordance with the approved Through Site Link and VPA.
- (b) The terms of the Easement for Public Access must be to the satisfaction of Council.
- (c) A Positive Covenant must be created pursuant to Section 88B of the *Conveyancing Act, 1919*. The terms of the positive covenant must include obligations for maintenance of the above easement site, indemnify Council against loss or damage or liability, and include a requirement for public liability insurance in the amount of \$20 million for any one occurrence.

The terms of the above easements and positive covenant must be to the satisfaction of Council.

Reason

To formalise public access to the through site links and provide requirements for maintenance and public liability insurance.

(14) AFFORDABLE HOUSING CONTRIBUTION - GREEN SQUARE - PAYMENT IN LIEU OF FLOOR SPACE CONTRIBUTION - PRIOR TO CONSTRUCTION CERTIFICATE

- (a) In accordance with the City of Sydney Affordable Housing Program and prior to the issue of a Construction Certificate, the applicant must provide evidence that a monetary contribution towards the provision of affordable housing has been paid to the City of Sydney Council in accordance with this condition.
- (b) The contribution is \$5,301,157.49 (indexed at 18 September 2025). This is calculated by establishing the sum of the equivalent monetary contribution \$11,646.80 multiplied by 1% of the total floor area for non-residential development (81sqm) and the equivalent monetary contribution \$11,646.80 multiplied by 3% of the total floor area for residential development (15,145sqm).
- (c) If the contribution is paid after the indexation period in which the consent is granted, being 1 March 2025 to 28 February 2026, the above contribution will be adjusted according to the Sydney LGA median strata dwelling price ('MDP') using the following formula.
- (d) Contribution payable at Time of Payment = $C \times \text{MDP2} / \text{MDP1}$, where:
 - (i) C is the original total contribution amount payable to the City of Sydney as shown above;
 - (ii) MDP2 is the Median Strata Dwelling Price in Sydney LGA applicable at the time of indexation of the equivalent monetary contribution rate, established by averaging the four most recently published NSW Government Rent and Sales Reports for the current period; and
 - (iii) MDP1 is the Median Strata Dwelling Price in Sydney LGA taken from the NSW Government Rent and Sales Reports used to establish the currently applicable equivalent monetary contribution rate, being 1 March 2025 to 28 February 2026.

Contact Council's Planning Assessment Unit at planningsystemsadmin@cityofsydney.nsw.gov.au for written confirmation of the amount payable, with indexation as necessary, prior to payment.

Reason

To ensure development contributions are paid to contribute to the provision of essential affordable rental housing infrastructure.

(15) HOUSING AND PRODUCTIVITY CONTRIBUTION

Before **the issue of any Construction Certificate** the housing and productivity contribution (HPC) set out in the table below is required to be made.

Housing and productivity contribution	Amount
Housing and productivity contribution (base component)	1,544,613.83
Total housing and productivity contribution	1,544,613.83

The HPC must be paid using the NSW planning portal.

At the time of payment, the amount of the HPC is to be adjusted in accordance with the *Environmental Planning and Assessment (Housing and Productivity Contributions) Order 2024* (HPC Order).

The HPC may be made wholly or partly as a non-monetary contribution (apart from any transport project component) if the Minister administering the *Environmental Planning and Assessment Act 1979* agrees.

The HPC is not required to be made to the extent that a planning agreement excludes the application of Subdivision 4 of Division 7.1 of the *Environmental Planning and Assessment Act 1979* to the development, or the HPC Order exempts the development from the contribution.

The amount of the contribution may be reduced under the HPC Order, including if payment is made before 1 July 2025.

Reason

To require contributions towards the provision of regional infrastructure.

(16) SECTION 7.11 CONTRIBUTIONS PAYABLE - CONTRIBUTION TOWARDS PUBLIC AMENITIES – CITY OF SYDNEY DEVELOPMENT CONTRIBUTIONS PLAN 2015 – SOUTH PRECINCT

Council has identified the development will increase demand for public amenities and facilities. Pursuant to Section 7.11 of the Environmental Planning and Assessment Act, 1979 (as amended), and the City of Sydney Development Contributions Plan 2015 the following monetary contributions are required towards the cost of public amenities.

<u>Contribution Category</u>	<u>Amount</u>
Open Space	\$1,718,476.37
Community Facilities	\$347,460.36
Traffic and Transport	\$311,779.40
Stormwater Drainage	\$123,352.83
Total	\$2,501,068.97

The City of Sydney will index the above contribution for inflation at the time of payment using the following formula.

$$C_{\text{payment}} = C_{\text{consent}} \times (CPI_{\text{payment}} \div CPI_{\text{consent}})$$

Where:

C_{payment} = Is the contribution at time of payment;

C_{consent} = Is the contribution at the time of consent, as shown above;

CPI_{payment} = Is the Consumer Price Index (All Groups Index) for Sydney published by the Australian Bureau of Statistics that applies at the time of payment; and

$CPI_{1\text{consent}}$ = Is the Consumer Price Index (All Groups Index) for Sydney at the date the contribution amount above was calculated being – 141.8 for the June 2025

The contribution must be paid prior to the issue of any Construction Certificate in relation to this development.

Please contact Council's Planning Administration staff at planningsystemsadmin@cityofsydney.nsw.gov.au to request a letter confirming the indexed contribution amount payable.

Once the letter confirming the indexed contribution is obtained, payment may be made at any of the City's Neighbourhood Service Centres or the One Stop Shop at Town Hall House. Payments may be made by EFTPOS (direct card only), cash (up to \$5,000 only), credit card (up to \$300,000 only) or bank cheque made payable to the City of Sydney council. Larger payments to be by direct bank transfer in consultation with the City. Direct debit, personal cheques and company cheques will not be accepted.

Reason

To ensure development contributions are paid to address the increased demand for public amenities and services resulting from the approved development.

(17) ALLOCATION FOR VISITOR PARKING

Visitor parking spaces must not at any time be allocated, sold or leased to an individual owner/occupier and must be strictly retained as common property by the Owners Corporation for use by building visitors.

All spaces must be clearly marked 'visitor' prior to the issue of any occupation certificate or the use commencing, whichever is earlier. All signs must be maintained in good order at all times.

Reason

To ensure designated areas within the development are maintained as common property.

(18) INTERCOM FOR VISITORS

Where a boom gate or barrier control is in place, the visitor spaces must be accessible to visitors by the location of an intercom (or card controller system) at the car park entry and at least 4m clear of the property boundary, wired to all units. The intercom must comply with *Australian Standard AS 1428.2-1992: Design for access and mobility - Enhance and additional requirements - Building and facilities Sections 22 and 23*.

Reason

To maintain the orderly operation of vehicle parking areas.

(19) ALLOCATION OF ACCESSIBLE CAR PARKING SPACES

For residential development, accessible car parking spaces for people with mobility impairment are only to be allocated as visitor parking or to adaptable units. Where allocated to adaptable units, the accessible car spaces and any storage spaces must form part of the adaptable strata lot in any future strata subdivision of the building.

Reason

To ensure accessible vehicle parking spaces are allocated to adaptable units.

(20) SIGNS AT EGRESS

The following signs must be provided and maintained within the site at the point(s) of vehicle egress:

- (a) Compelling drivers to stop before proceeding onto the public way
- (b) Compelling drivers to "Give Way to Pedestrians" before crossing the footway; or compelling drivers to "Give Way to Pedestrians and Bicycles" before crossing a footway on an existing or identified shared path route.

Reason

To ensure the safety of surrounding pedestrians and cyclists.

(21) SECURITY GATES

Where a car park is accessed by a security gate, that gate must be located at least 6 metres within the site from the street front property boundary.

Reason

To ensure the public domain is kept free from physical obstructions.

(22) VEHICLE FOOTWAY CROSSING

A separate application is to be made to, and approved by, Council for the construction of any proposed vehicle footway crossing or for the removal of any existing crossing and replacement of the footpath formation where any such crossings are no longer required.

All disused or redundant vehicle crossings and laybacks must be removed and footway, kerb, gutter and road restoration reinstated in accordance with Council's standards, to suit the adjacent finished footway and edge treatment materials, levels and details, or as otherwise directed by Council officers. All construction and replacement works are to be completed in accordance with the approved plans prior to the issue of any Occupation Certificate.

Note: In all cases the construction materials should reinforce the priority of pedestrian movement over that of the crossing vehicle.

Reason

To ensure all relevant approvals for traffic and parking works are obtained and designed in accordance with Council requirements.

(23) SERVICE VEHICLE SIZE LIMIT

The size of vehicles servicing the property must be a maximum length of 10.6m

Reason

To maintain the orderly operation of vehicle parking and loading areas.

(24) ASSOCIATED ROADWAY COSTS

All costs associated with the construction of any new road works including kerb and gutter, road pavement, drainage system and footway shall be borne by the developer. The new road works must be designed and constructed in accordance with the City's "Sydney Streets Technical Specification" including amendments and "Sydney Streets Design Code".

Reason

To ensure all roadway works are designed and constructed in accordance with Council requirements.

(25) COST OF SIGNPOSTING

All costs associated with signposting for any kerbside parking restrictions and traffic management measures associated with the development shall be borne by the developer.

Reason

To ensure all associated roadway works costs are borne by the developer.

(26) CHANGES TO KERB SIDE PARKING RESTRICTIONS

A separate submission must be made to the Local Pedestrian, Cycling and Traffic Calming Committee via the City Infrastructure and Traffic Operations Unit seeking the City's approval for any changes to kerb side parking arrangements. There is no guarantee kerb side parking will be changed, or that any change will remain in place for the duration of the development use.

The submission must include two plans. One showing the existing kerb side parking restriction signs and stems, the second showing the proposed kerb side parking restriction signs and stems. Both plans must include chainages to all signs and stems from the kerb line of the nearest intersection.

All costs associated with the parking proposal will be borne by the developer.

Note: As parking in the LGA is at a premium, it is recommended that the applicant should approach the Area Traffic Engineer to discuss the proposal before making a submission.

Reason

To require separate consent to be obtained for changes to kerb side parking arrangements.

(27) VEHICLE ACCESS

All vehicles are to enter and depart the site travelling in a forward direction.

Reason

To increase pedestrian safety at the site access.

(28) LOADING DOCK SCHEDULE/REGISTER

The onsite heavy vehicle loading dock is also to be available for retail tenants and all residents for use by removal vehicles, bulky good deliveries and similar. This shall be managed either by a schedule showing residents when they can use the dock, or by a register managed on site to allow residents to reserve a time period for their deliveries. This information is to be made available to all residents/tenants of the building.

(29) SWINGING DOORS OVER PUBLIC WAY

Any access doors to enclosures housing building services and facilities, such as hydrant and sprinkler booster assemblies or the like, must not open over the footway/roadway.

Reason

To ensure no element of the development obstructs the use of the public way.

(30) TREES APPROVED FOR REMOVAL

- (a) All trees detailed in Table 1 below are approved for removal. Tree removal must not occur until the Construction Certificate has been issued.

Table 1 – Tree Removal:

Tree No	Species:	Location
4	<i>Schefflera actinophylla</i> (Umbrella tree)	Northwest of site
8	<i>Melaleuca bracteata</i> (Black Teatree)	Southwest of site
10, 11 & 14	<i>Casuarina cunninghamiana</i> (River SheOak)	Dalmeny Rd frontage
13, 17, 18, 19 & 20	<i>Eucalyptus robusta</i> (Swamp Mahogany)	Dalmeny Rd front
15 & 22	<i>Waterhousea floribunda</i> (Weeping Lillypilly)	Dalmeny Rd frontage
22 & 23	<i>Eucalyptus nicholii</i> (Narrow Leaf Peppermint)	Southeast of site

- (b) Tree removal works must be carried out by a qualified Arborist (minimum AQF Level 3) and in accordance with SafeWork's Code of Practice - Amenity Tree Industry.

Reason

To identify the trees that can be removed.

(31) TREES THAT MUST BE RETAINED

- (a) The tree(s) detailed in Table 2 below must be retained and protected in accordance with the conditions throughout development works.
- (b) Approval is NOT granted for the removal of the tree(s) detailed in the table below, which Council has determined to be prominent landscape elements

Table 2 – Tree Retention:

Tree No	Species:	Location
1, 3, 6 & 9	<i>Lophostemon confertus</i> (Brush Box)	Rosebery Ave
5 & 7	<i>Melaleuca styphelioides</i> (Prickly Leaf Paperbark)	Rosebery Ave
12 & 21	<i>Eucalyptus punctata</i> (Grey Gum)	Dalmeny Ave
16	<i>Angophora costata</i> (Sydney Red Gum)	Dalmeny Ave

Reason

To identify the trees that cannot be removed, must be retained and protected.

(32) TREE PLANTING CONSIDERATIONS

The design should include the use of continuous trenches for tree pits and the installation of all services to be underground.

Special consideration must be given to soil depth and quality for tree planting. The City considers the following soil volume requirements must be included in the design for successful long-term tree establishment:

- (a) Large Trees (canopy diameter of up to 16 metres at maturity) require a minimum soil volume of 150 cubic metres, minimum soil depth of 1.5 metres and minimum soil area 10 metres x 10 metres.
- (b) Medium Trees (canopy diameter of up to 8 metres at maturity) require a minimum soil volume of 35 cubic metres, minimum soil depth of 1.2 metre and minimum soil area 6 metres x 6 metres.
- (c) Small Trees (canopy diameter of up to 4 metres at maturity) require a minimum soil volume of 9 cubic metres, minimum soil depth of 1.2 metre and minimum soil area 4 metres x 4 metres.

Reason

To ensure the development is appropriately designed to accommodate adequate tree planting.

(33) TACTILE GROUND SURFACE INDICATORS AND HANDRAILS

All tactile ground surface indicators, handrails and other elements required to provide access into the building / property must be located entirely within the private property boundary.

Reason

To ensure ground surface indicators, handrails and other elements required to provide access into the building/property are appropriately located.

(34) NO OBSTRUCTIONS

All public footways and paths of travel must be free from obstructions. If services are required to be relocated to clear paths of travel, then this must be undertaken at the developer's expense. All obstructions are to be removed prior to the issue of any type of Occupation Certificate.

Reason

To ensure there are no obstructions on public footways and paths of travel.

(35) LAND DEDICATION – NO LONG TERM ENVIRONMENTAL MANAGEMENT PLAN

Any land that is to be dedicated to the City as part of the associated Voluntary Planning Agreement must not be encumbered by an Environmental Management Plan or Long Term Environmental Management Plan.

Reason

To ensure land to be dedicated to the City is not encumbered by an environmental management plan.

(36) PAVING MATERIALS

The surface of any material used or proposed to be used for the paving of colonnades, thoroughfares, plazas, arcades and the like which are used by the public must comply with AS/NZS 4586:2004 (including amendments) "Slip resistance classification of new pedestrian surface materials".

Reason

To ensure appropriate and safe paving materials are used.

(37) FLOOD EMERGENCY RESPONSE PLAN

- (a) A Flood Emergency Response Plan is to be prepared by a suitably qualified flood engineer. The Flood Emergency Response Plan is to be implemented and operated by the building owner and/or Owners Corporation at all times.
- (b) The Flood Emergency Response Plan must include all measures required to be implemented to ensure the ongoing management of flooding risk in relation to the building, including (but not limited to) the following:
 - (i) Describe the flood conditions in the vicinity of the site.
 - (ii) If appropriate, direct persons on the site to seek refuge above the Probable Maximum Flood level for all levels of the building that are flood affected. Shelters in place for flood affected parts of the building is not permissible.
 - (iii) Include a map directing residents and visitors to a refuge via a flood free pathway within the building.
 - (iv) Describe the audible and visual alarm system for the basement area, including the linkage of this system to the building management system, details of failsafe operations and alternate power arrangements.
 - (v) Provide details (as an appendix) of all proposed flood sensors, their purpose, operation and maintenance (including the frequency of maintenance).
 - (vi) Provide details of lift design and operation in the event of a flood and specify how the lift will be deactivated in the event of a flood.

- (vii) Provide details of access to flood free areas for disabled persons.
 - (viii) Provide details of all flood protection design features of the building (flood doors and the like) and describe their operation, maintenance, repair and replacement arrangements. Repairs are to be completed to ensure that the flood doors/gates/barriers remain operational and effective at all times.
 - (ix) A pumping option needs to be shown, along with the location of pumps (in case mechanical failures of flood barriers occur). The pumps must be designed to pump out the full range of flood volumes within 6 hours after floodwaters have receded.
 - (x) Details of the operations and maintenance of the pumps are to be included. Any pumping equipment used to disperse flood waters should have the same maintenance schedule as the flood doors; and
 - (xi) Make provision for three monthly testing by the building owner and/or Owners Corporation.
- (c) The building owner and/or Owners' Corporation must enter into a service arrangement by which all identified faults or defects to all flood designed features of the building must be repaired within 24 hours.
 - (d) No toxic or other hazardous materials are to be stored below the Flood Planning Level or in the basement levels.
 - (e) Prior to the issue of any Stage 1 Construction Certificate for the basement, the Flood Emergency Response Plan (FERP) is to be submitted to and approved by Principal Certifying Authority (PCA).

Reason

To ensure flood risk management measures are complied with.

(38) WASTE AND RECYCLING MANAGEMENT - GENERAL

The proposal must comply with the relevant provisions of the Sydney Development Control Plan 2012 and Council's *Guidelines for Waste Management in New Developments 2018*, which requires facilities to promote the safe and efficient storage, separation, collection and handling of waste to maximise resource recovery.

Reason

To ensure that waste and recycling is appropriately managed throughout all phases of the development.

(39) STRATA SUBDIVISION – APPROVAL OF STRATA PLAN REQUIRED

A separate application must be made to Council or an Registered Strata Certifier to obtain approval of the Strata Plan and issue of a Strata Certificate under the *Strata Schemes Development Act 2015*.

Reason

To ensure separate approval is obtained for approval of the Strata Plan.

(40) DESIGN QUALITY EXCELLENCE

- (a) As the proposal has been awarded bonus floor space or height for achieving design excellence and in order to ensure the design quality excellence of the development is retained to completion:
 - (i) The design architect WMK is to have direct involvement in the design documentation, contract documentation and construction stages of the project including signing off any required certifications at DA, S4.55 applications, Construction Certificate and Occupation Certificate stages;
 - (ii) The design architect(s) is/are to have full access to the site and is/are to be authorised by the applicant to respond directly to Council where information or clarification is required in resolving design issues throughout the life of the project;
 - (iii) Evidence of the design architect's commission must be provided to the Council prior to release of the Construction Certificate.
- (b) The design architect of the project is not to be changed without prior notice and approval of the Council's Executive Director Planning, Development & Transport.

The Registered Certifier and Principal Certifier must be satisfied that the above matters are complied with prior to the issue of a relevant Construction and Occupation Certificates, in accordance with written confirmation from Council.

Reason

To ensure the development maintains design quality excellence throughout all phases of the development.

(41) SIGNS - SEPARATE DA REQUIRED

A separate development application for any proposed signs additional to those approved as part of this consent (other than exempt or complying signs) must be submitted to and approved by Council prior to the erection or display of any such signs.

Reason

To require separate consent to be obtained for any additional signs.

(42) SIGNAGE STRATEGY

A separate development application is to be submitted seeking approval of a signage strategy for the building. The signage strategy development application must include information and scale drawings of the location, type, construction, materials and total number of signs appropriate for the building.

Reason

To require separate consent to be obtained for a signage strategy.

(43) EXTERNAL LIGHTING

A separate development application is required to be lodged and approved prior to any external floodlighting or illumination of the building or site landscaping.

Reason

To clarify that consent has not been granted for the external floodlighting or illumination of the development.

(44) AIR CONDITIONERS GENERALLY

No air-conditioning equipment is to be visible from the public domain. Equipment and associated wiring must:

- (a) Not be located on awnings or attached to the face of the building
- (b) Not be located on roofs in such a way that it is visible from any street, footpath or park
- (c) Be visually screened if located 1.8 metres above ground level in other locations and wiring must be fully concealed.

Reason

To ensure the visual impact of air conditioners is minimised.

(45) NO AIR CONDITIONING UNITS TO FACADE OR BALCONIES OF BUILDING

Approval is not granted for the installation of individual air conditioning units to the facade or balconies of the building.

Reason

To clarify the scope of the consent.

(46) RETAIL USE ONLY – SEPARATE APPLICATION REQUIRED FOR FIT OUT

- (47)** The retail tenancy on the ground floor level of building A is approved as a café/restaurant. No consent is granted or implied for the fit out of this use.

(48) PUBLIC ART

Public art must be installed to the City's satisfaction prior to the issue of any Occupation Certificate.

- (a) The public artwork must be in accordance with Preliminary Public Art Plan and Strategy, dated July 2025, the *Sydney DCP 2012*, the *Public Art Policy*, and the *Interim Guidelines: Public art in private developments*.

- (b) A Detailed Public Art Plan with final details of the proposed public artwork must be submitted to and approved by Council's Executive Director Planning, Development & Transport prior to issue of any Construction Certificate for above ground works.
- (c) Public artwork must be installed to the City's satisfaction, inspected and approved and the Final Public Art Report submitted and approved by Council's Area Planning Manager prior to the issue of any Occupation Certificate.

Note: Public Art must be reviewed and endorsed by the City's Public Art Team and/or the Public Art Advisory Panel prior to submission for Council approval in according to Condition 48 (b). Further information is available online at <https://www.cityofsydney.nsw.gov.au/public-art> please contact the Public Art Team at publicartreferrals@cityofsydney.nsw.gov.au for further information.

Reason

To ensure public art is installed to the City's satisfaction.

(49) SYDNEY WATER CERTIFICATE (TAP-IN)

- (a) The approved plans must be submitted to Sydney Water's "Tap-in" online service to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. Sydney Water's "Tap-in" online service is available at www.sydneywater.com.au, (see Plumbing, Building & Development and then Sydney Water "Tap-in").
- (b) The Consent Authority or a Principal Certifier must ensure that Sydney Water has appropriately stamped the plans before the commencement of work.

Reason

To ensure the development satisfies Sydney Waters requirements.

BUILDING WORK

BEFORE ISSUE OF A CONSTRUCTION CERTIFICATE

(50) COMPLIANCE WITH THE ACOUSTIC REPORT PRIOR TO CONSTRUCTION AND OR OCCUPATION CERTIFICATES

- (a) relevant performance parameters (including but not limited to requirements, engineering assumptions and recommendations) in the DA Acoustic Report prepared by Kanin Mungkarndee, dated 12 February 2025, ref P01255 Revision 002, titled 1220 Rosebery Ave, Rosebery Noise and Vibration Impact Assessment, Council Ref 2025/145446 must be implemented in the development prior to the commencement of its use.

- (b) Prior to the issue of any relevant Construction Certificate, the final construction drawings and final construction methodology must be assessed and reported to be in accordance with the requirements of the DA Acoustic Report in (a) above, with reference to relevant documentation. This must be done by a Suitably Qualified Acoustic Consultant* (see definition below). This work will be to the satisfaction of the Registered Certifier.
- (c) Prior to the issue of any Occupation Certificate, a Suitably Qualified Acoustic Consultant* is to provide a written Acoustic Verification Report to the satisfaction of the Principal Certifier that the development complies with the requirements set out in the Report and in (a) and (b) above.

Note: Suitably Qualified Acoustic Consultant means a consultant who possesses the qualifications to join the Australian Acoustical Society, Institution of Engineers Australia (grade of member) or the Association of Australasian Acoustical Consultants (grade of member firm).

- (d) All physical aspects of the building's structure installed in order to meet performance parameters in accordance with this condition must be maintained at all times.

Reason

To ensure all parties are aware of the supporting documentation that applies to the development.

(51) DEMOLITION, EXCAVATION AND CONSTRUCTION NOISE AND VIBRATION MANAGEMENT PLAN

A site-specific noise management plan must be submitted to the Council for comment and approval prior to issue of any Construction Certificate. The Plan must be prepared by a suitably qualified acoustic consultant who is a person who possesses the qualifications to join the Australian Acoustic Society, Institution of Engineers Australia (grade of member) or the Association of Australasian Acoustic Consultants (grade of member firm). The plan must include but not be limited to the following:

- (a) identification of noise sensitive receivers near to the site.
- (b) A prediction as to the level of noise impact likely to affect the nearest noise sensitive receivers from the use and proposed number of high noise intrusive appliances intended to be operated onsite. A statement should also be submitted outlining whether or not predicted noise levels will comply with the noise criteria stated within the *City of Sydney Construction Hours /Noise Code of Practice 1992* for the typical construction hours of 07.00am to 7.00pm. Where resultant site noise levels are likely to be in exceedance of this noise criteria then a suitable proposal must be given as to the duration and frequency of respite periods that will be afforded to the occupiers of neighbouring property.
- (c) representative background noise measurement (LA90, 15 minute) should be submitted, assessed in the vicinity of any potentially affected receiver locations and measured in accordance with AS 1055:1.2.1997.

- (d) Confirmation of the level of community consultation that has/is and will be undertaken with Building Managers/ occupiers of the main adjoining noise sensitive properties likely to be most affected by site works and the operation of plant/machinery particularly during the demolition and excavation phases.
- (e) Confirmation of noise monitoring methodology that is to be undertaken during the main stages of work at neighbouring noise sensitive properties in order to keep complaints to a minimum and to ensure that noise from site works complies with the noise criteria contained within City's Construction Noise Code.
- (f) What course of action will be undertaken following receipt of a complaint concerning offensive noise.
- (g) Details of any noise mitigation measures that have been outlined by an acoustic consultant or otherwise that will be deployed on site to reduce noise impacts on the occupiers of neighbouring noise sensitive property to a minimum.(h) What plant and equipment is to be used on site, the level of sound mitigation measures to be undertaken in each case and the criteria adopted in their selection taking into account the likely noise impacts on the occupiers of neighbouring property and other less intrusive technologies available.

Reason

To ensure an adequate construction noise and vibration management plan is prepared.

(52) ALLOCATION OF PARKING

The number of car parking spaces to be provided for the development must comply with the table below. Details confirming the parking numbers must be submitted to the satisfaction of the Registered Certifier prior to the issue of a Construction Certificate.

Car Parking Type	Number
Residential spaces	62
Accessible residential spaces	20
Residential visitor spaces	11
Car share parking	1
Motorcycle parking	9
Service vehicle spaces	1
10.6m waste vehicle loading dock	1

Reason

To ensure the allocation of parking is in accordance with the Council's DCP.

(53) BICYCLE PARKING AND END OF TRIP FACILITIES

- (a) The minimum number of bicycle parking spaces and end of trip facilities to be provided within the site boundary for the development must comply with the table below.

Bicycle Parking Type	Number	Requirements
Residential	143	Spaces must be a class 1 bicycle locker [1] or Class 2 bicycle facilities
Residential visitor	14	Spaces must be Class 3 bicycle rails
Non-residential visitor	2	Spaces must be Class 3 bicycle rails

All bicycle parking spaces and end of trip facility must be provided on private land. The public domain cannot be used to satisfy this condition.

Notes:

- (i) If a basement storage area on title that is large enough to store a bike and is no smaller than a class 1 bike locker this can be counted as a space.
- (b) The layout, design and security of bicycle facilities must comply with the minimum requirements of Australian Standard AS 2890.3 Parking Facilities Part 3: Bicycle Parking Facilities. The details must be submitted to and approved by the Registered Certifier confirming prior to and form part of the Construction Certificate being issued.

Reason

To ensure the allocation of bicycle parking onsite that is in accordance with Australian Standards and the Council's DCP.

(54) PARKING DESIGN

The design, layout, signage, line marking, lighting and physical controls of all off-street parking facilities must comply with the minimum requirements of Australian Standard AS/NZS 2890.1 Parking facilities Part 1: Off-street car parking, AS/NZS 2890.2 Parking facilities Part 2: Off-commercial vehicle facilities and AS/NZS 2890.6 Parking facilities Part 6: Off-street parking for people with disabilities. The details must be submitted to and approved by the Registered Certifier prior to a Construction Certificate being issued.

Reason

To ensure parking facilities are designed in accordance with the Australian Standards.

(55) CAR SHARE SPACES

- (a) A minimum of one (1) car parking spaces for the exclusive use of car share scheme vehicles are to be provided. A revised plan showing these spaces must be submitted to and approved by Council's Area Planning Manager prior to the issue of a Construction Certificate.
- (b) The spaces must be retained as common property of the Owners Corporation of the site, and not sold or leased to an individual owner/occupier at any time.
- (c) The spaces must be made available to car share operators without a fee or charge and be accessible to members of the car share scheme at all times.
- (d) The spaces must be sign posted for use only by car share vehicles and well lit.
- (e) The car share spaces are to be available at the same time that the car park commences operation.

Reason

To ensure car share spaces are provided within the development are maintained as common property.

(56) PHOTOGRAPHIC ARCHIVAL DOCUMENTATION (MINOR WORKS)

Prior to a Construction Certificate being issued, an archival photographic recording of the early 1960s building on site fronting Rosebery Avenue is to be prepared to Council's satisfaction. The recording is to be in digital form and prepared in accordance with the NSW Heritage Division guidelines titled "Photographic Recording of Heritage Items using Film or Digital Capture". One copy of the record is to be submitted to Council to be lodged with Council's Archives.

The form of the recording is to be as follows:

- (a) The Development Application number must be noted on the submitted information.
- (b) Include a summary report detailing the project description, date and authorship of the photographic record, method of documentation and limitations of the photographic record.
- (c) Include written confirmation, issued with the authority of both the applicant and the photographer that the City of Sydney is granted a perpetual non-exclusive licence to make use of the copyright in all images supplied, including the right to make copies available to third parties as though they were Council images. The signatures of both the applicant and the photographer must be included.
- (d) The report is to be submitted on a USB or digital file transfer in PDF/A format, (created directly from the digital original), with the digital catalogue of images containing the following data for each location, image subject/description and date.

- (e) The electronic images are to be taken with a minimum 8 megapixel camera, saved as JPEG TIFF or PDF files with a size of approximately 4-6MB, and cross referenced to the digital catalogue sheets and base plans. Choose only images that are necessary to document the process and avoid duplicate images.

Reason

To ensure appropriate archival documentation of the building.

(57) SITES IN THE VICINITY OF A HERITAGE ITEM

The approved works must ensure that the heritage listed 'National Springs' building at 13 Rosebery Avenue is to be suitably protected during the construction process. The contractor or developer must conduct consultations with the stakeholders of the neighbouring heritage site, record and monitor the conditions of the heritage building and take suitable measures to control and minimize any risks to the heritage fabric during construction. The protection measures must be incorporated into the construction management plan. Details of the protection plan must be submitted to and approved by Council's Area Coordinator Planning Assessments / Area Planning Manager prior to the issue of any Construction Certificate.

Reason

To ensure the protection of adjacent/nearby heritage items.

(58) CONSTRUCTION TRAFFIC MANAGEMENT PLAN

- (a) A Construction Traffic Management Plan must be submitted to and approved by Council prior to a Construction Certificate being issued.
- (b) The approved plan must be complied with during any demolition and/or construction work.

Reason

To ensure that the impacts of construction traffic is appropriately managed.

(59) SITE AUDIT STATEMENT

Prior to the issue of a construction certificate associated with the built form of the development (excluding building work directly related to remediation), a Section A Site Audit Statement must be obtained from a NSW Environment Protection Authority accredited Site Auditor and submitted to the Council's Area Planning Manager at email address:-

hbapplications@cityofsydney.nsw.gov.au

The Site Audit Statement must confirm that the site has been remediated in accordance with the approved Remedial Action Plan and clearly state that site is suitable for the proposed use.

- (a) In circumstances where the Site Audit Statement is subject to conditions that require ongoing review by the Auditor or Council, these must be reviewed and must be approved by the Council's Health and Building Unit in writing through the Area Planning Manager before the Site Audit Statement is issued.
- (b) In circumstances where the Site Audit Statement conditions (if applicable) are not consistent with the consent, the development must not proceed until the inconsistency has been resolved to the satisfaction of Council (such as via a S4.55 modification of the consent pursuant to the provisions of the *Environmental Planning & Assessment Act 1979*).
- (c) **No Occupation Certificate is to be issued** by the Principal Certifier unless a Site Audit Statement has been submitted to and approved by Council in accordance with this condition.

Reason

To ensure that the site is appropriately remediated.

(60) LANDSCAPE OF THE SITE

- (a) A detailed landscape design including plans and details drawn to scale, and technical specification, by a registered landscape architect, must be submitted to and approved by Area Planning Manager prior to the issue of a Construction Certificate. These documents must include:
 - (i) Location of existing and proposed planting on the site including existing and proposed trees, planting in natural ground, and planting on structure.
 - (ii) Provide a 1m high and 500mm wide perimeter planter on the north and western edges of apartment B.G.04 private terrace to form a planter privacy screen.
 - (iii) Location and details of existing and proposed structures on the site including, but not limited to, paving, walls, services, furniture, shade structures, lighting and other features.
 - (iv) Details of earthworks and soil depths including finished levels and any mounding. The minimum soil depths for planting on structure must be 1000mm for trees, 450mm for shrubs and 200mm for groundcovers, excluding mulch and drainage layers.
 - (v) (Planting details, and location, numbers, type and supply size of plant species, with reference to Australian Standards and preference for drought resistant species that contribute to habitat creation and biodiversity.
 - (vi) Details of drainage, waterproofing and watering systems.
 - (vii) Landscape maintenance plan. This plan is to be complied with during occupation of the property.

- (b) All landscaping in the approved plan is to be complete prior to any Occupation Certificate being issued.

Reason

To ensure the development is supported by a good quality, buildable landscape scheme that meets the City's controls.

(61) ACCESSIBLE GREEN ROOFS

- (a) A detailed green roof design including plans and details drawn to scale, and technical specification, by a registered landscape architect, must be submitted to and approved by Council's Area Planning Manager prior to the issue of a Construction Certificate. These documents must include:
 - (i) A statement that includes details of proposed use of the green roof, accessibility, and any noise and privacy treatments.
 - (ii) Location and details of existing and proposed services, walls, balustrades, hard surfaces, furniture, screens and shade structures, fixings and other structural elements that may interrupt waterproofing, including cross-sectional details of all components.
 - (iii) Engineers report confirming structural capacity of building for proposed roof terrace loads.
 - (iv) Wind study (if applicable) confirming suitability of the roof for intended use.
 - (v) Details of soil types and depth including any mounding. The minimum soil depths for planting on structure must be 1000mm for trees, 450mm for shrubs and 200mm for groundcovers, excluding mulch and drainage layers.
 - (vi) Planting details, and location, numbers, type and supply size of plant species, with reference to Australian Standards and preference for drought resistant species that contribute to habitat creation and biodiversity.
 - (vii) Details of drainage and irrigation systems, including overflow provisions and water retention cells in the drainage layer.
 - (viii) Green roof maintenance plan. This plan is to be complied with during occupation of the property and must include any relevant maintenance methodology for safe working at height such as access requirements, location of any anchor points, gates, and transport of materials and green waste.
- (b) Prior to the issue of an Occupation Certificate, structural and waterproofing certifications for the green roof are to be submitted to and approved by the Principal Certifying Authority.
- (c) All landscaping in the approved plan must be complete prior to the issue of an Occupation Certificate.

Reason

To ensure that the accessible green roof is designed to accommodate suitable landscaping and to ensure that adequate maintenance procedures are put in place.

(62) TRANSPLANTING TREE/S ON SITE

The existing *Phoenix canariensis* Date Palm (Tree 2) located Rosebery Avenue frontage must be transplanted.

- (a) A Transplanting Feasibility/Methodology Statement must be submitted to, and approved by, Council's Tree Management Officer prior to the issue of a Construction Certificate. The Statement must be prepared by a qualified Arborist (AQF Level 5) experienced in tree transplanting and include:
 - (i) Pre-transplant Considerations;
 - (ii) Site Preparation;
 - (iii) Excavation;
 - (iv) Preparation of new planting position;
 - (v) Lifting and Relocation methods;
 - (vi) Planting specifications;
 - (vii) Backfilling and completion;
 - (viii) Maintenance Program.
- (b) In the event that the tree transplanting cannot occur, which is clearly demonstrated in the Transplanting Methodology Report and approved by Council's Tree Management Officer, the following will be required:
 - (i) A replacement tree of the same species planted in the new location prior to the issuing of the Occupation Certificate.
 - (ii) The replacement palm tree must have a minimum clear stem height of 6 metres;
 - (iii) The replacement must be free of disease, pests, damage (above and below ground) and must be a healthy, vigorous specimen;
 - (iv) Certification from the tree supplier must be submitted and approved by Council's Tree Management Officer confirming a suitable tree is available for purchase and planting which meets the above requirements..
- (c) The transplanted tree[s] or the replacement tree(s) must be maintained by an Arborist (minimum AQF Level 3) for a minimum period of twelve (12) months, commencing from the date of planting. Maintenance includes, but is not limited to, watering, weeding, removal of rubbish from tree base, pruning, fertilizing, pest and disease control and any other operations to maintain a healthy robust tree.

- (d) If the transplanted palm tree or the replacement palm tree fails to establish within 12 months of the initial planting date, it must be replaced with a tree of comparable qualities.

Reason

To ensure that the transplanting of trees on site is carried out in an appropriate manner, or where this cannot occur a replacement tree(s) is provided.

(63) LANDSCAPE PLAN - TREES

- (a) The Landscape Plan prepared by Arcadia dated 11.02.2025 is not approved. A detailed landscape plan, drawn to scale, by a qualified landscape architect or landscape designer, must be submitted to and approved by Council's Area Planning Manager prior to the issue of a Construction Certificate. The plan must include:
 - (i) Replacement species for a *Ceratopetalum gimniferum* (NSW Christmas Bush) in areas of deep soil with a species minimum mature height of 10m.
 - (ii) Setback new plantings of medium and large tree species by a minimum of 2m from the basement wall.
 - (iii) Demonstrate soil volumes and depths for the on-structure tree planting are in accordance with Volume 2 of the Sydney Landscape Code.
 - (iv) Location of existing and proposed structures on the site including, but not limited to, existing and proposed trees, paved areas, planted areas on slab, planted areas in natural ground, lighting and other features.
 - (v) Details of earthworks and soil depths including mounding and retaining walls and planter boxes (if applicable). The minimum soil depths (excluding drainage and mulch) for planting structure must be 1000mm for trees, 450mm for shrubs and 200mm for groundcovers. Soil volume and types must meet the applicable requirement of the City of Sydney Landscape Code Volumes 1 and 2.
 - (vi) Location, numbers, type and supply of plant species, with reference to Australian Standard 2303 'Tree stock for landscape use' and meet the requirements of this standard at the time of planting
 - (vii) The design must provide a minimum 15% canopy cover across the site. This must be provided by 30% of the species having a mature height of 6m, 30% mature heights of 10-15metres and 40% mature heights of 20-30 metres;
 - (viii) Tree selection shall include a diverse range of species selected from the City of Sydney Tree Species List.
 - (ix) New tree(s) must be planted in natural ground with adequate soil volumes to allow maturity to be achieved. Planter boxes will not be accepted for tree planting.

- (x) New tree(s) must be appropriately located away from existing buildings and structures to allow maturity to be achieved without restriction.
- (xi) Details of planting procedure and maintenance.
- (xii) Details of drainage, waterproofing and watering systems.
- (b) Prior to the issue of a Construction Certificate, a tree maintenance plan is to be submitted to and approved by the Council's Area Planning Manager.
- (c) All landscaping in the approved plan is to be completed prior to an Occupation Certificate being issued.

Reason

To ensure sufficient canopy cover is provided and healthy trees are established on the site.

(64) UPDATING OF RAP AND ARBORIST'S REPORT

The RAP and Arborist's Report must be updated and submitted to the City of Sydney Tree Team for approval prior to the release of the Construction Certificate. The RAP and Arborist's Report must ensure trees to be retained are not adversely impacted by the proposed works:

- (i) Update RAP to include tree sensitive methods within the Tree Protection Zones of Trees 5 and 7
- (ii) Update Arborist's Report to include method statement and arboriculture inspections for the remediation works within the Tree Protection Zones of Trees 5 and 7
- (iii) Update Arborist Report to include a Pruning Specification for any street trees which will need to be pruned for clearance clearance/access, noting only minor pruning works will be approved

Reason

To ensure the tree retention is adequately undertaken and managed.

(65) PUBLIC DOMAIN DAMAGE BOND

- (a) A Public Domain Damage Deposit calculated on the basis of 454 square metres of concrete on Rosebery Avenue and Dalmeny Avenue site frontages must be lodged with Council in accordance with the City of Sydney's adopted Schedule of Fees and Charges. The bond must be provided as security for repairing any damage to the public domain in the vicinity of the site.
- (b) The City's Public Domain Unit must be contacted to determine the bond amount prior to lodgement. The Bond must be lodged with the City prior to an approval for demolition being granted or any Construction Certificate being issued, whichever is earlier.

- (c) The bond in this condition will be released in full when the Public Domain Works Security Bond is lodged with the City.

Reason

To allow for the appropriate management and rectification of damage to the public domain.

(66) SURVEY INFRASTRUCTURE – IDENTIFICATION AND RECOVERY

Under Section 24 of the Surveying and Spatial Information Act 2002, it is an offence to remove, damage, destroy, displace, obliterate or deface any survey mark unless authorised to do so by the Surveyor-General. Accordingly, the applicant must, where possible, ensure the preservation of existing survey infrastructure undisturbed and in its original state or else provide evidence of the Surveyor-General's authorisation to remove or replace marks.

Prior to the issue of any Construction Certificate, documentary evidence must be prepared by a Registered Surveyor and submitted to and approved by Council's Area Planning Manager / Coordinator. This evidence must include either:

- (a) A copy of any Surveyor-General's Approval for Survey Mark Removal granted by NSW Spatial Services for the subject site, including all documentation submitted as part of that application (for example the survey mark audit schedule, strategy plan and strategy report); or
- (b) A letter, signed by a current NSW Registered Land Surveyor and including his or her Board of Surveying and Spatial Information (BOSSI) identification number, stating that all investigations required under Surveyor-General's Direction No.11 have been made for the subject site and that no survey infrastructure will be affected by the proposal.

Council's Principal Surveyor may request further information and/or add conditions to any Surveyor-General's Approval at their discretion.

Reason

To ensure the preservation of existing survey infrastructure.

(67) PUBLIC DOMAIN LEVELS AND GRADIENTS

Prior to the issue of any Construction Certificate, a Public Domain Levels and Gradients submission for the building and site frontages must be submitted to and approved by the City's Public Domain Unit. The submission must be prepared in accordance with the City's *Public Domain Manual* and submitted with a completed Application for *Public Domain Levels and Gradients*. Information on how to complete the submission can be downloaded from the City's website at <https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works>.

Any requirements to comply with Disability Discrimination Act at the entrance to a building or publicly accessible space must be resolved inside the site boundary.

Note: Public Domain Levels and Gradient plans are to be included with the Public Domain Plan – Detailed Documentation for Construction condition submission.

Reason

To ensure public domain levels and gradients comply with Council's requirements.

(68) STORMWATER DRAINAGE DESIGN

Prior to issue of any Construction Certificate a detailed stormwater management plan prepared by suitable qualified and experienced professionals must be submitted to and approved by the City's Public Domain Unit and must include:

- (i) Council's Sydney Streets Technical Specifications, Part A4 Drainage Design;
- (ii) Council's Sydney Streets Technical Specifications, Standard Drawings;
- (iii) Council's Sydney Streets Technical Specifications, Part B10: Stormwater Drainage Construction;
- (iv) Council's Stormwater Drainage Manual; and
- (v) All relevant Australian Standards.

This information is available for download from the City's website at <https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works>.

Note: A Deed of Agreement (Stormwater Deed) for all proposed connections to the City's drainage system, and a Positive Covenant for all OSD systems may be required prior to issue of any Occupation Certificate.

Reason

To ensure stormwater drainage design complies with Council's requirements.

(69) STORMWATER ON-SITE DETENTION

The requirements of Sydney Water with regard to the on-site detention (OSD) of stormwater must be ascertained and complied with. Evidence of the approval must be submitted to Council prior to issue of any Construction Certificate other than demolition.

Where an OSD is not required by Sydney Water one may still be required by the City.

Reason

To ensure the requirements of Sydney Water are complied with.

(70) STORMWATER QUALITY ASSESSMENT

The development must comply with the Integrated Water Management Plan prepared by Enscape Studio dated Feb 2025, approved with this development application.

Prior to issue of any Construction Certificate a design certification report prepared by a suitably qualified practitioner engineer (NPER) demonstrating compliance with approved music link targets and parameters must be submitted to and approved by the City's Public Domain Unit.

The report must include a response to all stormwater quality improvement devices structural integrity, treatment train and their treatment properties demonstrating compliance with the approved MUSIC link reports.

Reason

To ensure appropriate stormwater quality on the site.

(71) FLOOD PLANNING LEVELS

The development must be constructed to comply with the recommended flood planning levels indicated in Table 1 of the report titled Flood Impact Assessment prepared by BG&E consultants dated Feb 2025.

Details must be submitted to the Registered Certifier prior to the issue of any Construction Certificate demonstrating that the development will comply with the recommended flood planning levels.

Reason

To ensure the development complies with the recommended flood planning levels.

(72) PUBLIC DOMAIN LIGHTING UPGRADE

Prior to issue of any Construction Certificate for excavation, civil construction, drainage or building work (whichever is earlier), a concept Public Domain Lighting Upgrade Plan for pedestrian and street lighting in the public domain must be submitted to and approved by City's Public Domain Unit. The Lighting Plan must be prepared in accordance with the *Sydney Streets Technical Specifications A5 and B8*, *Sydney Lights Design Code* and *Public Domain Manual*. This information is available for download from the City's website at <https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works>.

The lighting upgrade plan must cover all adjacent street frontages, being Rosebery Avenue and Dalmeny Avenue and shall be designed to include the following requirements;

- (a) Provide City of Sydney standard steel galvanised pole with new luminaires Traffic Technologies FL.S. 40W. T4D. N7PZG and lighting to comply with requirement of AS1158.3.1 Category PR2 on the roadway and PP2 on the footways.

- (b) The proposed speedhump / raised crossing & central median requires lighting to comply with requirement of AS1158.3.1 clause 4.5, provide an obtrusive lighting assessment to comply with requirement of AS4282 and disconnect & remove redundant Ausgrid poles and accessories via ASP3 design certification process.
- (c) For the land dedication area for pedestrian and cycling, provide City of Sydney standard 4.5m tapered pole with new luminaires Signify TownTune BDP260 LED274S_840 DM11_PSDSR P7 SRB ANZ and the lighting is to comply with requirement of AS1158.3.1Category PP2 + 0.7lux (minimum vertical illuminance).

Advice on site specific lighting requirements must be obtained from City's Public Domain Unit before proceeding with the preparation of any final lighting design proposals.

Reason

To ensure pedestrian and street lighting in the public domain complies with Council's requirements.

(73) DILAPIDATION REPORT - PUBLIC DOMAIN

Prior to an approval for demolition and preparatory works being granted or the issue of any Construction Certificate, whichever is earlier, a photographic recording of the public domain site frontages is to be prepared as described in the Public Domain Manual and submitted for approval by Council's Public Domain Unit. The City's *Public Domain Manual* is available for download from the City's website at <https://www.cityofsydney.nsw.gov.au/>

The submission is to include written confirmation, issued with the authority of both the applicant and the photographer that the City of Sydney is granted a perpetual non-exclusive license to make use of the copyright in all images supplied, including the right to make copies available to third parties as though they were Council images. The signatures of both the applicant and the photographer must be included.

Reason

To establish and document the condition of the public domain for comparison as building work progresses and is completed.

(74) NEW ROAD DESIGN

The proposed public shared path connecting Dalmeny and Roseberry Avenue are subdivision works and the issue of a subdivision works certificate is required.

Preparation of the detailed design and construction documentation for the proposed public road system must include all necessary liaison with, and requirements of, all relevant public utility authorities, Roads and Maritime Services, the City of Sydney, the Local Pedestrian Cycling and Traffic Calming Committee and its nominated consultants in order to achieve design approvals and construction compliance.

Written evidence of approval from relevant authorities must be submitted to the City with the road design submission.

A design package must be prepared based on the requirements outlined in Council's *Public Domain Manual*. A design report for the road works must be prepared by an appropriately qualified civil engineer certifying that the design complies with the City of Sydney's policies, standards and specifications and those of all other relevant authorities as applicable. All engineering plans and calculations must be checked, signed and certified by a suitably qualified practicing professional engineer and included in the report. The design package and report must be submitted to and approved by Council's Public Domain Manager prior to the construction of the road.

Reason

To ensure the new road design complies with Council's policies, standards and specifications and those of all other relevant authorities.

(75) TEMPORARY DEWATERING DURING CONSTRUCTION

Prior to discharging any water collected during excavation and construction into the City's stormwater drainage system, approval must be sought from the City's Public Domain Unit. A dewatering management plan must be submitted with an *Application for Temporary Dewatering* available to download on the City's website.

Other options for dewatering include disposal to sewer with prior approval from Sydney Water, or off-site disposal by a liquid waste transporter for treatment/disposal to an appropriate waste treatment/processing facility.

Reason

To ensure dewatering is managed appropriately.

(76) OPERATIONAL WASTE MANAGEMENT PLAN

The Operational Waste Management Plan accompanying this Development Application has not been approved by this consent. An Operational Waste Management Plan is to be submitted to and reviewed by Council's City Cleansing & Resource Recovery Unit and approved by Council's Area Planning Manager prior to the issue of a **Construction Certificate**. The plan must comply with Council's Development Control Plan and *Guidelines for Waste Management in New Developments*. The plan must include:

- (a) updated architectural plans of all waste storage areas

Reason

To ensure waste is managed in accordance with Council's guidelines.

(77) ELECTRICITY SUBSTATION

If required by the applicable energy supplier, the owner must dedicate to the applicable energy supplier, free of cost, an area of land within the development site, but not in any landscaped area or in any area visible from the public domain, to enable an electricity substation to be installed. The size and location of the substation is to be submitted for approval of Council and Ausgrid, prior to a Construction Certificate being issued or the commencement of the use, whichever is earlier.

Reason

To ensure that the provision of a substation to service the development is appropriately incorporated into the design of the building in a manner that minimises streetscape impacts.

(78) ELECTRICITY SUBSTATION AND TURRETS

Prior to the issue of any Construction Certificate for the buildings, provision must be made by the project architects to locate any electricity turrets and substations required as a consequence of the development within the site boundaries or proposed lot boundaries, rather than within existing or proposed footway areas.

Prior to the issue of any type of Occupation Certificate, all electricity turrets and substations required for the development must be located wholly within the final lot boundaries

Reason

To ensure that the provision of a substation and turrets to service the development is appropriately incorporated into the design of the building in a manner that minimises streetscape impacts.

(79) UTILITY SERVICES

To ensure that utility authorities are advised of the development:

- (a) Prior to the issue of a Construction Certificate a survey is to be carried out of all utility services within and adjacent to the site including relevant information from utility authorities and excavation, if necessary, to determine the position and level of services.
- (b) Prior to the commencement of work the applicant is to obtain written approval from the utility authorities (e.g. Energy Australia, Sydney Water, and Telecommunications Carriers) in connection with the relocation and/or adjustment of the services affected by the construction of the underground structure. Any costs in the relocation, adjustment or support of services are to be the responsibility of the developer.

Reason

To ensure that utility authorities are advised of the development and their approval is obtained in connection with the relocation and/or adjustment of services affected by the development.

(80) SURVEY INFRASTRUCTURE – IDENTIFICATION AND RECOVERY

Under Section 24 of the Surveying and Spatial Information Act 2002, it is an offence to remove, damage, destroy, displace, obliterate or deface any [survey mark](#) unless authorised to do so by the [Surveyor-General](#). Accordingly, the applicant must, where possible, ensure the preservation of existing survey infrastructure undisturbed and in its original state or else provide evidence of the Surveyor-General's authorisation to remove or replace marks.

Prior to the issue of any Construction Certificate, documentary evidence must be prepared by a Registered Surveyor and submitted to and approved by Council's Area Planning Manager. This evidence must include either:

- (a) A copy of any Surveyor-General's Approval for Survey Mark Removal granted by NSW Spatial Services for the subject site, including all documentation submitted as part of that application (for example the survey mark audit schedule, strategy plan and strategy report); or
- (b) A letter, signed by a current NSW Registered Land Surveyor and including his or her Board of Surveying and Spatial Information (BOSSI) identification number, stating that all investigations required under Surveyor-General's Direction No.11 have been made for the subject site and that no survey infrastructure will be affected by the proposal.
- (c) Any Permanent Marks proposed to be or have been destroyed must be replaced, and a "Plan of Survey Information" must be lodged at NSW Land Registry Services.

Council's Principal Surveyor may request further information and/or add conditions to any Surveyor-General's Approval at their discretion.

Reason

To ensure the preservation of existing survey infrastructure.

BEFORE BUILDING WORK COMMENCES

(81) STREET TREE PRUNING AND REMOVAL

- (a) The consent from Council's Tree Management Officer must be obtained prior to the undertaking of any street tree pruning works including tree roots greater than 30mm diameter. Only minor pruning works will be approved by Council.
- (b) Any pruning that has been approved by Council, must be carried out by an arborist with a minimum AQF Level 3 qualification in arboriculture and must be in accordance with AS4373 Australian Standards 'Pruning of Amenity Trees'.

Reason

To ensure that approval is obtained for any pruning works to, or removal of, street trees and that such works are carried out in an appropriate manner.

(82) PUBLIC DOMAIN WORK – CONSTRUCTION APPROVAL UNDER SECTION 138 ROADS ACT 1993

Prior to the construction of any public domain works, approval under Section 138 / 139 of the Roads Act 1993 must be issued by the City's Public Domain Unit.

Reason

To ensure relevant approvals for public domain work are obtained.

DURING BUILDING WORK**(83) PROTECTION OF PUBLIC FEATURES IN CONSERVATION AREAS**

The proposed work must take measures to protect existing street furniture and features on the public land including street and laneway stone curbs and gutters. If they need to be interrupted during process of construction, they must be properly recorded and reinstated to the original condition.

Reason

To ensure the protection of existing street furniture, stone curbs and gutters and the like.

(84) CHECK SURVEYS DURING CONSTRUCTION

Prior to the concrete pour of the main slab at each level, a survey shall be made by a surveyor registered under the Surveying and Spatial Information Act, 2002, confirming that the formwork adjacent to existing or proposed boundaries is clear of those existing or proposed boundaries and is in accordance with approved setbacks and levels. This survey shall be provided to the Principal Certifier prior to the concrete pour. The concrete pour must not take place until the Principal Certifier receives a survey proving that the formwork has been constructed within the existing and proposed boundaries of the site, and is compliant with the setbacks and levels approved under this consent.

Reason

To ensure the development does not encroach onto neighbouring properties.

(85) SURVEY

All footings, walls and floor slabs adjacent to a boundary must be set out by a registered surveyor. On commencement of brickwork or wall construction a survey and report, prepared by a Registered Surveyor, must be submitted to the Principal Certifier indicating the position of external walls in relation to the boundaries of the allotment. Any encroachments by the subject building over adjoining boundaries or roads must be removed prior to continuation of building construction work.

Reason

To ensure the development does not encroach onto neighbouring properties.

(86) ARCHAEOLOGICAL DISCOVERY DURING EXCAVATION

- (a) Should any relics be unexpectedly discovered on the site during excavation, all excavation or disturbance to the area is to stop immediately and the Heritage Council of NSW should be informed in accordance with section 146 of the Heritage Act 1977.
- (b) Should any Aboriginal objects be unexpectedly discovered then all excavation or disturbance of the area is to stop immediately and NSW Government Office of Environment and Heritage is to be informed in accordance with Section 89A of the *National Parks and Wildlife Act 1974*.
- (c) Should any archaeological remains or Aboriginal objects be discovered, a copy of recording of the finds and the final archaeological summary report is to be submitted to Council prior to the issue of any Occupational Certificate.
- (d) If the discovery is on Council's land, Council must be informed.

Reason

To ensure that the archaeology of the site is appropriately managed and protected.

(87) ASBESTOS REMOVAL WORKS

- (a) All works removing asbestos containing materials must be carried out by a suitably licensed asbestos removalist duly licensed with Safework NSW, holding either a Friable (Class A) or a Non-Friable (Class B) Asbestos Removal Licence which ever applies.

A copy of the relevant licence must be made available to any authorised Council officer on request within 24 hours.

- (b) Five days prior to the commencement of licensed asbestos removal, Safework NSW must be formally notified of the works. All adjoining properties and those opposite the development must be notified in writing of the dates and times when asbestos removal is to be conducted. The notification must identify the licensed asbestos removal contractor and include a contact person for the site together with telephone number and email address.

- (c) All work must be carried out in accordance with the *Work Health and Safety Regulation 2017* and the NSW Government and SafeWork NSW document entitled *How to manage and control asbestos in the work place: Code of Practice (Safework NSW)* December 2011 and the *City of Sydney Managing Asbestos Policy dated 21 October 2013 and associated guidelines*.
- (d) The asbestos removalist must use signs and barricades to clearly indicate the area where the asbestos removal work is being performed. Signs must be placed in positions so that people are aware of where the asbestos removal work area is and should remain in place until removal is completed and clearance to reoccupy has been granted. Responsibilities for the security and safety of the asbestos removal site and removal must be specified in the asbestos removal control plan (where required). This includes inaccessible areas that are likely to contain asbestos.
- (e) Warning signs must be placed so they inform all people nearby that asbestos removal work is taking place in the area. Signs must be placed at all of the main entry points to the asbestos removal work area where asbestos is present. These signs must be weatherproof, constructed of light-weight material and adequately secured so they remain in prominent locations. The signs must be in accordance with AS 1319 -1994 *Safety Signs for the Occupational Environment* for size, illumination, location and maintenance.
- (f) Asbestos waste must only be transported and disposed of at an EPA licensed waste facility.
- (g) No asbestos products are to be reused on the site (i.e. packing pieces, spacers, formwork or fill etc).
- (h) No asbestos laden skips or bins are to be left in any public place without the written approval of Council.
- (i) A site notice board must be located at the main entrance to the site in a prominent position and must have minimum dimensions of 841mm x 594mm (A1) with any text on the notice to be a minimum of 30 point type size.

The site notice board must include the following:

- (i) contact person for the site;
- (ii) telephone and facsimile numbers and email address; and
- (iii) site activities and time frames.

Reason

To ensure that the handling and removal of asbestos from the site is appropriately managed.

(88) LAND REMEDIATION

The site is to be remediated and validated in accordance with the Remedial Action Plan (RAP) prepared by Trace Environmental dated 5 February 2025 reference number 99.161 and the Letter of Interim Advice or Section B Site Audit Statement prepared by NSW Environment Protection Authority accredited Site Auditor David Gregory dated 12 February 2025 and reference 2501003IA#2Final12Feb25. All remediation work carried out shall be conducted in accordance with the guidelines in force from time to time under the Contaminated Land Management Act 1997.

Prior to commencement of remediation, a Data Gap Investigation (DGI) is to be undertaken in relation to ground water and ground gas conditions and the findings submitted to the Site Auditor for review.

A further interim advice letter must be obtained from the Auditor on whether its findings have any implications for the Remedial Action Plan (RAP). If modifications to the RAP are required, the environmental consultant must prepare a RAP addendum. Any addendum must be reviewed by the Site Auditor, and a further interim audit advice letter obtained to confirm that the revised RAP approach is acceptable and will ensure the site is suitable for its intended use.

The RAP addendum and Letter of Interim Advice must be submitted to Council's Area Planning Manager for approval before any revised remedial works are commenced.

Any new information which comes to light during remediation, demolition or construction works which has the potential to alter previous conclusions about site contamination must be immediately notified to the Council's Area Planning Manager, the Site Auditor and the Principal Certifier.

Any variations to the approved Remediation Action Plan must be approved in writing by the Site Auditor and Council's Area Coordinator Planning Assessments / Area Planning Manager prior to the commencement of such work.

The remediation work must be carried out in accordance with the RAP approved by the Site Auditor and Council' Area Planning Manager.

Reason

To ensure that the site is appropriately remediated.

(89) NOTIFICATION – NEW CONTAMINATION EVIDENCE

Council's Area Planning Manager and the Principal Certifier must be notified of any new information which comes to light during remediation, demolition or construction works which has the potential to alter previous conclusions about site contamination.

Reason

To ensure that the site is appropriately remediated.

(90) IMPORTED FILL MATERIALS

All fill imported onto the site must be validated to ensure the imported fill is suitable for the proposed land use from a contamination perspective. Fill imported on to the site shall also be compatible with the existing soil characteristic for site drainage purposes.

The City may require details of appropriate validation of imported fill material to be submitted with any application for future development of the site. Hence all fill imported onto the site should be validated by either one or both of the following methods during remediation works:

- (a) Imported fill must be accompanied by documentation from the supplier which certifies that the material is not contaminated based upon analyses of the material for the known past history of the site where the material is obtained; and/or
- (b) Sampling and analysis of the fill material shall be conducted in accordance with NSW EPA (2022) Sampling Design Guidelines.

Reason

To ensure that imported fill is not contaminated.

(91) CLASSIFICATION OF WASTE

Prior to the exportation of waste (including fill or soil) from the site, the waste materials must be classified in accordance with the provisions of the Protection of the *Environment Operations Act 1997* and the *NSW EPA Waste Classification Guidelines, Part1: Classifying Waste (November 2014)*. The classification of the material is essential to determine where the waste may be legally taken. The *Protection of the Environment Operations Act 1997* provides for the commission of an offence for both the waste owner and the transporters if the waste is taken to a place that cannot lawfully be used as a waste facility for a particular class of waste. For the transport and disposal of industrial, hazardous or Group A liquid waste advice should be sought from the EPA.

Reason

To ensure that waste from site is classified and disposed of appropriately.

(92) DISCHARGE OF CONTAMINATED GROUNDWATER

Contaminated groundwater must not be discharged into the City's stormwater drainage system.

Options for the disposal of groundwater include disposal to sewer with prior approval from Sydney Water or off-site disposal by a liquid waste transporter for treatment/disposal to an appropriate waste treatment/processing facility.

Reason

To ensure that the discharge of ground water is appropriately managed.

(93) STOCKPILES

- (a) No stockpiles of soil or other materials must be placed on footpaths or nature strips unless prior approval has been obtained from the City's Construction Regulation Team.
- (b) All stockpiles of soil or other materials must be placed away from drainage lines, gutters or stormwater pits or inlets.
- (c) All stockpiles of soil or other materials likely to generate dust or odours must be covered.
- (d) All stockpiles of contaminated soil must be stored in a secure area and be covered if remaining more than 24 hours.

Reason

To ensure that stockpiles of soil or other materials are appropriately managed.

(94) STREET TREE PROTECTION

All street trees located directly outside the site must be retained and protected in accordance with the Australian Standard 4970 Protection of Trees on Development Sites. All street trees must be protected during the construction works as follows:

- (a) Tree trunk and major branch protection must be undertaken prior to the commencement of any works (including demolition). The protection must be installed and certified by an arborist with a minimum AQF Level 5 qualification in arboriculture and must include:
 - (i) An adequate clearance, minimum 250mm, must be provided between the structure and tree branches, and trucks at all times.
 - (ii) Tree trunk/s and/or major branches to a height of two metres must be protected by wrapped thick underlay carpet or similar padding material to limit damage, and
 - (iii) Timber planks (50mm x 100mm or similar) must be placed around tree trunk/s. The timber planks must be spaced at 100mm intervals and must be fixed against the trunk with tie wire, or strapping. The thick underlay carpet or similar padding material and timber planks must not be fixed to the tree in any instance, or in any fashion.
 - (iv) Tree trunk and major branch protection is to remain in place for the duration of construction and development works and must be removed at the completion of the project.
- (b) Temporary signs, or any other items, shall not be fixed or attached to any street tree.
- (c) All hoarding support columns are to be placed a minimum of 300mm from the edge of the existing tree pits/setts, so that no sinking or damage occurs to the existing tree pits. Supporting columns must not be placed on any tree roots that are exposed.

- (d) Young street trees must be protected by installing three (3) wooden stakes around the edge of the tree pits or a minimum of 1 metre from the base of the trunk. Hessian must be wrapped around the stakes. If existing stakes or a metal tree guard are already in place, these suffice as tree protection.
- (e) Materials or goods, including site sheds, must not be stored or placed:
 - (i) around or under the tree canopy; or
 - (ii) within two (2) metres of tree trunks or branches of any street trees.
- (f) Any excavation within any area known to or suspected of having tree roots greater than 30mm diameter must be undertaken by hand.
- (g) Any trenching works for services, hydraulics, drainage etc. must not be undertaken within 3 metres of the trunk of any street tree. Alternate installation methods for services such as directional boring/drilling or redirection of services must be employed where roots greater than 30mm diameter are encountered during installation of any services.
- (h) Existing sections of kerbs adjacent to any street tree must not be removed without approval from the Council's Tree Management Officer.
- (i) Any damage sustained to street tree/s as a result of the erection of any construction activities (including demolition) must be immediately reported to the Council's Tree Management Officer on 9265 9333. Any damage to street trees as a result of any construction activities may result in prosecution under the Local Government Act 1993 and the Environmental Planning and Assessment Act 1979.

Reason

To ensure the protection and ongoing health of the street trees.

(95) TREE PRUNING – FURTHER APPROVAL REQUIRED

Consent from Council's Tree Management Officer must be obtained prior to undertaken, including tree roots greater than 40mm in diameter, for any trees located within or adjacent to the site. Only minor pruning works will be approved by Council.

Reason

To ensure that pruning works to trees are carried out in an appropriate manner.

(96) PROTECTION OF NATIVE WILDLIFE

- (a) In the event that wildlife is found during the course of tree removal works, work must stop until a trained wildlife handler attends the site or the animal relocates itself. In regard to tree pruning, works may only proceed if the animals will not come into direct harm.
- (b) In the event that the tree(s) have nesting birds or native animals, works must be delayed until after the nesting period has been completed, unless in the event of an emergency.

Reason

To ensure that wildlife is adequately protected during tree removal/pruning works.

(97) PUBLIC DOMAIN WORKS SECURITY BOND

A Public Domain Works Security Bond will be required for the public domain works and for repairing damage that may be caused to the public domain in the vicinity of the site, in accordance with the City of Sydney's adopted fees and charges and the Public Domain Manual.

The City's Public Domain Unit must be contacted to determine the bond amount prior to lodgement. The bond must be lodged with the City prior to an approval being issued for the approval of the Public Domain Plan.

The bond will be retained in full until all public domain works, including rectification of damage to the public domain, are completed to City's standards and approval and the required works-as-executed documentation are approved. On satisfying the above requirements, and the issue of the Public Domain Works Letter of Completion Operational Acceptance by the City, 90% of the bond will be released. The remaining 10% will be retained for the duration of the specified Defects Liability Period.

Reason

To ensure public domain works are completed and any damage to the public domain is rectified.

(98) DRAINAGE AND SERVICE PIT LIDS

All existing or proposed drainage and service pit lids throughout the public domain must be to City of Sydney specifications and heel/bicycle safe, slip resistant, infill with material to match surrounding surface, finished flush with the adjacent pavement to avoid trip hazards and be clear of obstructions for easy opening and cleaning. Infill pit lids are to be detailed where specified by Council's Public Domain Officer. Private pits are not permitted within the public domain. All details of pit lids must be shown on the public domain plan and must be approved by the City's Public Domain Unit prior to the issue of an approval for public domain works.

Reason

To ensure drainage and service pit lids within the public domain are appropriately designed and installed.

(99) PUBLIC DOMAIN PLAN DETAILED DOCUMENTATION FOR CONSTRUCTION

A detailed public domain plan and all relevant documentation must be submitted to and approved by City's Public Domain Unit prior to the construction of any public domain works. This Plan must document all works required to ensure that the public domain upgrade work complies with the City's specifications and requirements, as outlined in documents such as City of Sydney's *Public Domain Manual*, *Sydney Streets Code*, *Sydney Street Tree Masterplan*, *Sydney Lights: Public Domain Design Code* and *Sydney Streets Technical Specification*. The documentation must be *checked, accurate, and comply with specified requirements*. Plans must be based on an accurate survey prepared, signed and dated by a registered surveyor, to scale and fully coordinated across all disciplines and submissions. The supplied documentation must be for Construction issue and will be approved under Section 138 of the Roads Act.

The Public Domain Manual and all other relevant documents are available for download from Council's website at <https://www.cityofsydney.nsw.gov.au/development/public-domain-works/detailed-associated-works>.

The Public Domain Plan documentation must be submitted with an Application for Public Domain Plan Assessment and include the approved Public Domain Levels and Gradients documentation. If the proposed detailed design of the public domain requires changes to any previously approved levels, details must be submitted for approval with the public domain plan and additional fees may apply.

Reason

To ensure the public domain complies with Council's requirements.

(100) HOLD POINTS

Prior to an approval being issued for the construction of public domain and / or planning agreement works, including civil, drainage and subsurface works, a set of hold points will be provided by the City's Public Domain Unit in accordance with the City's Public Domain Manual and Sydney Streets Technical Specification. The list of hold point inspections will be included in the Public Domain works approval letter.

These hold point inspections must be adhered to during construction works. Prior to the issue of any Occupation Certificate, confirmation from the City's Public Domain Unit, that hold point inspections have been completed and works have been accepted by the City must be provided to the Principal Certifier.

Reason

To ensure hold points are adhered to during construction works.

(101) STORMWATER DRAINAGE CONNECTION

For approval of a connection into the City of Sydney's drainage system an "Application for Approval of Stormwater Drainage Connections" must be submitted to the City, together with an application fee in accordance with the City of Sydney's adopted Schedule of Fees and Charges. This must be approved prior to approval being issued for the construction of public domain work.

Reason

To ensure approval of connection into the Council's drainage system is sought.

(102) PUBLIC DOMAIN LIGHTING RETICULATION

Prior to the issue of any relevant approval for the construction of public domain works, a detailed Public Domain Lighting Reticulation Plan for pedestrian and street lighting in the public domain must be submitted to and approved by the City's Public Domain Unit in accordance with the City's *Sydney Lights Design Code*, *Sydney Streets Code*, *Sydney Streets Technical Specification* and *Public Domain Manual*.

The Public Domain Manual and all other relevant documents are available for download from Council's website at

<https://www.cityofsydney.nsw.gov.au/development/public-domain-works/da-associated-works>.

If applicable, this public domain lighting documentation must include pole footing locations and structural details, location and details of underground electrical reticulation including connections and conduits, pit cabling and certifications as described in the City's *Public Domain Manual*. The public domain lighting is to be superimposed on the public domain plan to show any conflicts between lighting and the proposed landscape design.

Reason

To ensure the public domain lighting documentation complies with Council requirements.

(103) HOURS OF WORK AND NOISE – OUTSIDE CBD

The hours of construction and work on the development must be as follows:

- (a) All work, including building/demolition and excavation work, and activities in the vicinity of the site generating noise associated with preparation for the commencement of work (eg. loading and unloading of goods, transferring of tools etc) in connection with the proposed development must only be carried out between the hours of 7.30am and 5.30pm on Mondays to Fridays, inclusive, and 7.30am and 3.30pm on Saturdays, with safety inspections being permitted at 7.00am on work days, and no work must be carried out on Sundays or public holidays.
- (b) All work, including demolition, excavation and building work must comply with the City of Sydney Code of Practice for Construction Hours/Noise 1992 and Australian Standard 2436 - 2010 Guide to Noise Control on Construction, Maintenance and Demolition Sites.

- (c) Notwithstanding the above, the use of a crane for special operations, including the delivery of materials, hoisting of plant and equipment and erection and dismantling of on-site tower cranes which warrant the on-street use of mobile cranes outside of above hours can occur, subject to a separate application being submitted to and approved by Council under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993.

Note: Works may be undertaken outside of hours, where it is required to avoid the loss of life, damage to property, to prevent environmental harm and/or to avoid structural damage to the building. Written approval must be given by the Construction Regulation Team, prior to works proceeding.

The *City of Sydney Code of Practice for Construction Hours/Noise 1992* allows extended working hours subject to the approval of an application in accordance with the Code and under Section 4.55 of the *Environmental Planning and Assessment Act 1979*.

Reason

To protect the amenity of the surrounding area.

(104) NOTIFICATION OF EXCAVATION WORKS OR USE OF HIGH NOISE EMISSION APPLIANCES/PLANT

The immediately adjoining neighbours must be given a minimum of 48 hours notice that excavation, shoring or underpinning works or use of high noise emission appliances / plant are about to commence.

Reason

To protect the amenity of the surrounding area.

(105) HAZARDOUS AND INDUSTRIAL WASTE

Hazardous and/or industrial waste arising from the demolition/operational activities must be removed and/or transported in accordance with the requirements of the NSW Work Cover Authority pursuant to the provisions of the following:

- (a) *Protection of the Environment Operations Act 1997*
- (b) *Protection of the Environment Operations (Waste) Regulation 2005*
- (c) *Waste Avoidance and Resource Recovery Act 2001*
- (d) *Work Health and Safety Act 2011*
- (e) *Work Health and Safety Regulation 2017*.

Reason

To ensure hazardous/ industrial waste is managed appropriately.

(106) COVERING OF LOADS

All vehicles involved in the excavation and/or demolition process and departing the property with demolition materials, spoil or loose matter must have their loads fully covered before entering the public roadway.

Reason

To ensure loads are managed appropriately and do not impact local amenity.

(107) LOADING AND UNLOADING DURING CONSTRUCTION

The following requirements apply:

- (a) All loading and unloading associated with construction activity must be accommodated on site, where possible.
- (b) If, it is not feasible for loading and unloading to take place on site, a Works Zone on the street may be considered by Council.
- (c) A Works Zone may be required if loading and unloading is not possible on site. If a Works Zone is warranted an application must be made to Council at least 8 weeks prior to commencement of work on the site. An approval for a Works Zone may be given for a specific period and certain hours of the days to meet the particular need for the site for such facilities at various stages of construction. The approval will be reviewed periodically for any adjustment necessitated by the progress of the construction activities.
- (d) Where hoisting activity over the public place is proposed to be undertaken including hoisting from a Works Zone, a separate application under Section 68 of the Local Government Act 1993 and Sections 138/139 of the Roads Act 1993 must be submitted to and approved by Council.

Reason

To protect the amenity of the public domain.

(108) NO OBSTRUCTION OF PUBLIC WAY

Unless otherwise approved by Council, the public way must not be obstructed by any materials, vehicles, waste receptacles, skip-bins or the like. Non-compliance with this requirement may result in the issue of a notice by Council to stop all work on the site.

Reason

To protect the amenity of the public domain.

BEFORE ISSUE OF AN OCCUPATION CERTIFICATE

(109) PUBLIC DOMAIN WORKS COMPLETION

The Public Domain works are to be constructed in accordance with the Public Domain Works Approval letter, stamped plans for Public Domain Levels and Gradients, Stormwater, Public Domain Lighting, the City's *Public Domain Manual*, *Stormwater Drainage Manual*, *Sydney Lights Design Code* and *Sydney Streets Technical Specification*.

The public domain work must be inspected and a Public Domain Work Letter of Completion Operational Acceptance must be issued by Council's Public Domain Officer prior to the issue of any Occupation Certificate or before the commencement of use, whichever is earlier.

Reason

To ensure the public domain works are completed in accordance with the approved documents and Council's requirements.

(110) PUBLIC DOMAIN COMPLETION – WORK AS EXECUTED DOCUMENTATION

Prior to a Public Domain Works Letter of Completion Operational Acceptance being issued for public domain works, works-as-executed (As-Built) plans and documentation, must be submitted to and accepted by the City of Sydney for all public domain works, including where required Stormwater, Public Domain Lighting and road construction. These works must be certified by a suitably qualified, independent professional. Details of the documentation required for approval will be advised by the City's Public Domain Unit.

Reason

To ensure Council receives works-as-executed documentation for public domain works.

(111) SURVEY INFRASTRUCTURE – PRE-SUBDIVISION CERTIFICATE WORKS

- (a) Pursuant to Section 38 of the Surveying and Spatial Information Act 2002, if it is likely that any new survey mark will be disturbed by associated works (for example, footpath or kerb and gutter construction), a surveyor may defer the placement of those marks.
- (b) Prior to any the issue of any Subdivision Certificate, documentary evidence in accordance with Section B11 – *Survey Infrastructure of the Technical Specification* must be prepared by a Registered Surveyor and submitted to and approved by the City. This evidence must include:
 - (i) A copy of any Surveyor-General's Approval for Deferment of Survey Marks granted by NSW Spatial Services for the subject site, including all documentation submitted as part of that application (for example the draft deposited plan) or

- (ii) A certificate of Practical Completion obtained from the City's Public Domain team, together with a letter, signed by a current NSW Registered Land Surveyor and including his or her Board of Surveying and Spatial Information (BOSSI) identification number, stating that all survey marks shown on their Deposited Plan remain at the date of practical completion.

Reason

To allow for deferment of survey marks.

(112) SURVEY INFRASTRUCTURE – RESTORATION

- (a) Prior to any Occupation Certificate being issued for the development, documentary evidence of restoration must be prepared by a Registered Surveyor and submitted to and approved by Council's Area Planning Manager / Coordinator. This evidence must include:
 - (i) Certification that all requirements requested under the Surveyor-General's Approval for Survey Mark Removal or by the City's Principal Surveyor under condition "Survey Infrastructure – Identification and Recovery" have been complied with;
 - (ii) Certification that all requirements requested under any Surveyor-General's Approval for Deferment of Survey Marks from condition "Survey Infrastructure – Pre Subdivision Certificate works" have been complied with and;
 - (iii) Time-stamped photographic records of all new survey infrastructure relating to the site clearly showing the mark itself and sufficient context to aid in identifying the mark on site.

Reason

To ensure all requirements for survey mark removal are complied with.

(113) STORMWATER COMPLETION DEED OF AGREEMENT AND POSITIVE COVENANT

Prior to the issue of any Occupation Certificate:

- (a) The Owner is required to enter into a Deed of Agreement (Stormwater Deed) with the City of Sydney and obtain registration of Title of a Positive Covenant for all proposed connections to the City's underground drainage system. The deed and positive covenant will contain terms reasonably required by the City and will be drafted by the City's Legal Services Unit at the cost of the applicant, in accordance with the City's Fees and Charges.
- (b) A Positive Covenant must be registered on the property title for all drainage systems involving On-Site Detention (OSD) to ensure maintenance of the approved OSD system regardless of the method of connection. The positive covenant will contain terms reasonably required by the City and will be drafted by the City's solicitor at the cost of the applicant, in accordance with the City's Fees and Charges.

Reason

To protect underground drainage system.

(114) CONSTRUCTED FLOOR LEVELS

A certification report prepared by a suitably qualified practitioner engineer (NPER) must be submitted to the Principal Certifier prior to issue of any Occupation certificate stating that the development has been constructed and the required levels achieved in accordance with the recommendations of the report titled Flood Impact Assessment prepared by BG&E consultants dated Feb 2025.

Reason

To ensure the development achieves the required floor levels.

(115) BASIX

All commitments listed in each relevant BASIX Certificate for the development must be fulfilled prior to any Occupation Certificate being issued.

Reason

To ensure BASIX commitments are fulfilled in accordance with the BASIX certificate (prescribed condition under clause 75 EP&A Regulation 2021).

(116) SURVEY CERTIFICATE AT COMPLETION

Prior to the issue of any Occupation Certificate, a Final Survey Plan and Certificate prepared and signed by a Surveyor, registered under the *Surveying & Spatial Information Act, 2002* must be submitted at the completion of the building work certifying the location and height of the building, and showing offsets, in relation to the boundaries of the allotment.

Reason

To ensure the development does not encroach onto neighbouring properties and is in accordance with the approved plans.

(117) SYDNEY WATER CERTIFICATE

A Section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation.

Application must be made through an authorised Water Servicing Coordinator. Please refer to the Building Developing and Plumbing section on the web site www.sydneywater.com.au then refer to "Water Servicing Coordinator" under "Developing Your Land" or telephone 13 20 92 for assistance.

Following application a "Notice of Requirements" will advise of water and sewer infrastructure to be built and charges to be paid. Please make early contact with the Coordinator, since building of water/sewer infrastructure can be time consuming and may impact on other services and building, driveway or landscape design.

The Section 73 Certificate must be submitted to Council or the Principal Certifier prior to any Occupation Certificate or subdivision/strata certificate being issued.

Reason

To ensure the requirements of Sydney Water are met.

OCCUPATION AND ONGOING USE

(118) OCCUPATION CERTIFICATE TO BE SUBMITTED

An Occupation Certificate must be obtained from the Principal Certifier and a copy submitted to Council prior to commencement of occupation or use of the whole or any part of a new building, an altered portion of, or an extension to an existing building.

Reason

To ensure the site is authorised for occupation.

(119) WASTE AND RECYCLING MANAGEMENT – RESIDENTIAL

- (a) Prior to the issue of an **Occupation Certificate**, Council's review and written approval of the as-built waste infrastructure, facilities, and vehicle access is required. The City Cleansing & Resource Recovery Unit of Council must be satisfied that:
 - (i) All waste management facilities, storage, and collection infrastructure comply with the stamped plans, approved Operational Waste Management Plan and Council's *Guidelines for Waste Management in New Developments*, the City of Sydney's DCP, and the developments Conditions of Consent.
 - (ii) All waste rooms, corridors, doors, and gates to be accessed by Council's collection contractor(s) are to be fitted and accessible via Council's master key system. Specifications of locks, barrels, and supporting infrastructure are to be submitted to Council's City Cleansing & Resource Recovery Unit.
- (b) Site inspections are to be conducted by Council's City Cleansing & Resource Recovery Unit to review the site on-site waste collection, storage and loading bay infrastructure prior to the issue of an **Occupation Certificate**. The inspections are to be conducted a minimum 6-months prior to projects anticipated construction completion. Prior to the inspection an electronic copy of the latest architectural plans are to be submitted.
- (c) An updated Operational Waste Management Plan is to be submitted to Council's City Cleansing & Resource Recovery Unit that aligns with the latest version of architectural plans and waste related updates identified during the site inspections. The plan is to be reviewed by Council's City Cleansing & Resource Recovery Unit and approved by Council's Area Planning Manager prior to the issue of an **Occupation Certificate**.

- (d) The developer is to enter into a formal agreement with the City of Sydney Council for the utilisation of Council's Waste Collection Service. A signed agreement is to be submitted to Council's City Cleansing & Resource Recovery unit prior to the issue of an **Occupation Certificate**.
- (e) The assigned strata manager for the development and direct contact details are to be provided to Council's City Cleansing & Resource Recovery Unit prior to the issue of an **Occupation Certificate**.

Reason

To ensure that facilities and arrangements are in place to enable the provision of a safe and efficient waste collection service responsive to Council's policies and contractual service provisions.

(120) NOISE - ENTERTAINMENT

- (a) The $L_{Aeq, 15 \text{ minute}}$ noise level from the use must not exceed the background noise level ($L_{A90, 15 \text{ minute}}$) in any octave band (reference frequency 31.5 Hz to 8 kHz inclusive) by more than 5dB between 7.00am and 12.00 midnight when assessed at the boundary of any residential accommodation or tourist and visitor accommodation.
- (b) The $L_{Aeq, 15 \text{ minute}}$ noise level from the use must not exceed the background noise level ($L_{A90, 15 \text{ minute}}$) in any octave band (reference frequency 31.5 Hz to 8 kHz inclusive) between 12.00 midnight and 7.00am when assessed at the boundary of any residential accommodation or tourist and visitor accommodation.
- (c) Notwithstanding (a) above, the $L_{Aeq, 15 \text{ minute}}$ noise level from the use must not exceed the greater of the following levels between 7am and 12 midnight inside any habitable room of a residential accommodation or tourist and visitor accommodation, or at any time in an affected commercial premises:
 - (i) The existing internal $L_{A90, 15 \text{ minute}}$ (from external sources excluding the use) in any octave band (reference frequency 31.5 Hz to 8 kHz inclusive). Or,
 - (ii) If the $L_{Z90, 15 \text{ minute}}$ background level is below the hearing threshold curve (Tf - Table 1 of ISO 226 : 2003) in an above octave band, the lowest audible sound level (L_p) of the Tf curve in that octave band shall become that octave's $L_{Zeq 15 \text{ minute}}$ noise criteria level.
- (d) Notwithstanding (b) above, the $L_{A1 15 \text{ minute}}$ noise level from the use must not exceed the greater of the following sound pressure levels inside any habitable room between 12 midnight and 7am inside any habitable room of an affected residential accommodation or tourist and visitor accommodation:
 - (i) The existing internal $L_{A90, 15 \text{ minute}}$ (from external sources excluding the use) minus 10 dB in any octave band (reference frequency 31.5 Hz to 8 kHz inclusive) inside a habitable room of an affected residential accommodation or tourist and visitor accommodation. Or,

- (ii) If the $L_{Z90, 15 \text{ minute}}$ minus 10 dB level is below the hearing threshold curve (Tf - Table 1 of ISO 226 : 2003) in an above octave band, the lowest audible sound level (L_p) of the Tf curve in that octave band shall become that octave's $L_{Z1 15 \text{ minute}}$ noise criteria level.

Note: L_{eq} , L_{01} , and L_{90} , metrics and 'A' (weightings) are as per the definitions in the standard AS1055-20148. 'Z' means unweighted noise. An internal L_{A90} level must be determined in the absence of noise emitted by the use and be sufficiently representative of the receiver in a low noise level quiet state. External L_{A90} levels for planning must be established as per the long-term methodology in Fact Sheet B of the NPfI unless otherwise agreed by the City's Area Planning Manager.

Reason

To protect the acoustic amenity of surrounding properties.

(121) NOISE – COMMERCIAL PLANT / INDUSTRIAL DEVELOPMENT

- (a) Noise from commercial plant and industrial development must not exceed a project amenity/intrusiveness noise level or maximum noise level in accordance with relevant requirements of the NSW EPA [Noise Policy for Industry 2017 \(NPfI\)](#) unless agreed to by the City's Area Planning Manager. Further:
 - (i) Background noise monitoring must be carried out in accordance with the long-term methodology in [Fact Sheet B](#) of the NPfI unless otherwise agreed by the City's Area Planning Manager.
 - (ii) Commercial plant is limited to heating, ventilation, air conditioning, refrigeration and energy generation equipment.
- (b) An $L_{Aeq,15 \text{ minute}}$ (noise level) emitted from the development must not exceed the $L_{A90, 15 \text{ minute}}$ (background noise level) by more than 3dB when assessed inside any habitable room of any affected residence or noise sensitive commercial premises at any time. Further:
 - (i) The noise level and the background noise level must both be measured with all external doors and windows of the affected residence closed.
 - (ii) Background noise measurements must not include noise from the development but may include noise from necessary ventilation at the affected premises.
- (c) Corrections in [Fact Sheet C](#) of the NPfI are applicable to relevant noise from the development measured in accordance with this condition, however duration corrections are excluded from commercial noise.

Reason

To protect the acoustic amenity of surrounding properties.

(122) ON SITE LOADING AREAS AND OPERATION

All loading and unloading operations associated with servicing the site must be carried out within the confines of the site, at all times and must not obstruct other properties/units or the public way.

At all times the service vehicle docks, car parking spaces and access driveways must be kept clear of goods and must not be used for storage purposes, including garbage storage.

Reason

To maintain the orderly operation of vehicle parking areas and to ensure the public domain is kept free from physical obstructions.

(123) TRANSPORT ACCESS GUIDE

A Transport Access Guide must be implemented and maintained by the operators of the premises and be made available to staff, clients, customers and visitors at all times.

The following information shall be submitted to and approved by Council's Area Planning Manager prior to the issue of an Occupation Certificate for the site/use:

- (a) A Transport Access Guide detailing sustainable transport options to access the site including public transport, cycling and walking or a combination of these modes.
- (b) Communication methods by which the Transport Access Guide will be made available to staff, clients, customers and visitors.

Reason

To ensure that sustainable transport options are considered and communicated effectively.

(124) SCHEDULED COLLECTIONS - RESIDENTIAL

- (a) Scheduled collections and waste management arrangements of Council's residential waste stream(s) is to be conducted in accordance with the stamped plans, approved Operational Waste Management Plan, the developments Conditions of Consent and the City's Local Approvals Policy Managing Waste in Public Spaces.
- (b) Council's Domestic Waste Charge is applied to all residential rate accommodation properties in accordance with section 496 of the Local Government Act 1993. Residential accommodation is defined in accordance with the Sydney Local Environmental Plan 2012 dictionary.
- (c) Unobstructed access to be provided for Councils standard waste collection vehicles to access the waste and recycling storage area(s), loadings bays and supporting infrastructure between the hours 6am and 6pm on collection day(s) to support the provision of a safe and efficient waste collection service to the site.

- (d) Council supplied bins are not suitable for use with compaction devices. Residential developments that utilise in-bin compaction will be responsible for ongoing bin maintenance, repair, and replacement at no cost to Council in perpetuity.

Reason

To support the safe and efficient scheduled residential waste collection service and minimise the impacts on public amenity and safety.

(125) DEFECTS LIABILITY PERIOD – PUBLIC DOMAIN WORKS

All works to the City's public domain, including rectification of identified defects, are subject to a 6 month defects liability period from the date of Completion. The date of Completion will be nominated by Council on the Public Domain Works – Letter of Completion Operational Acceptance.

Reason

To ensure all works to the City's public domain are protected under a liability period.

(126) PLAN OF MANAGEMENT

- (a) . Prior to the commencement of this development consent, a Plan of Management for the afterhours security and management of the publicly accessible areas, must be submitted and endorsed by Council's Area Planning Manager.
- (b) The use must always be operated / managed in accordance with the Plan of Management submitted to satisfy (a) above.
- (c) The endorsed Plan of Management can be updated at any time by submitting a revised Plan of Management and subject to endorsement by Council's Area Planning Manager.

Reason

To ensure all parties are aware of the approved supporting documentation that applies to the development.

(127) RESTRICTION ON THE USE OF LAND – RESIDENTIAL DEVELOPMENT

The following restriction applies to buildings approved for residential use:

- (a) The accommodation portion of the building must be used as permanent residential accommodation only and not for the purpose of a boarding house or hostel, hotel or motel accommodation, serviced apartments, tourist and visitor accommodation or the like, other than in accordance with the Sydney Local Environmental Plan 2012.

- (b) A restriction on the use of land is to be registered on the title of the development site in the above terms and restricting any change of use of those levels from residential accommodation as defined in the Sydney Local Environmental Plan 2012. The restriction is to be registered on title prior to any Occupation Certificate being issued or the use commencing, whichever is earlier. The restriction must contain terms reasonably required by Council and will be drafted by Council's solicitor, at the cost of the applicant, in accordance with the City's Fees and Charges.
- (c) If a unit contains tenants, it must be subject to a residential tenancy agreement for a term of at least three months.
- (d) No person can advertise or organise the use of residential apartments approved under this consent for short term accommodation or share accommodation.

Reason

To ensure the residential accommodation portion of the site is used for permanent residential purposes.

(128) RESTRICTION ON USE OF CAR SPACES – RESIDENTIAL

The following conditions apply to car parking:

- (a) The on-site car parking spaces, exclusive of service and visitor car spaces, are not to be used other than by an occupant, tenant or resident of the subject building.
 - (i) Prior to any Occupation Certificate being issued or the use commencing, whichever is earlier, a documentary Restriction on the Use of Land, is to be registered on the Title of the development site pursuant to Section 88E of the Conveyancing Act 1919, to the effect of (a) above. The Restriction is to be created to the benefit of Council, at no cost to and to the satisfaction of Council.
 - (ii) Any future strata subdivision shall provide for a Restriction on the use of Land to be registered of all residential lots with car spaces, pursuant to Section 88B of the Conveyancing Act 1919, to the effect of (a) above. The covenant is to be created appurtenant to Council, at no cost to and to the satisfaction of Council.
 - (iii) A restriction burdening common property in a future strata plan only, shall not satisfy this condition

Reason

To ensure the on-site car parking and storage spaces are not to be used other than by a resident of the building.

(129) RESTRICTION ON THE USE OF LAND - PARKING ON COMMON PROPERTY AREAS

No part of the common property apart from the visitor vehicle spaces which are to be used only by visitors to the building, and service vehicle spaces which are to be used only by service vehicles, is to be used for the parking or storage of vehicles or boats. Future strata subdivisions of the residential component of the site are to include an appropriate documentary restriction on the use of land pursuant to Section 88B of the *Conveyancing Act 1919*, so burdening common property, with the Council being the authority to release, vary or modify the restriction. Visitor parking spaces must not at any time be allocated, sold or leased to an individual owner/occupier and must be strictly retained as common property by the Owners Corporation for use by building visitors.

Reason

To prevent obstruction of common property areas.

(130) ADDITIONAL EASEMENTS

Any other documentary easements or any other encumbrances and indemnities required for joint or reciprocal use of part or all of the proposed lots as a consequence of any subdivision must be created over appropriate lots in the subdivision, pursuant to Section 88B of the *Conveyancing Act 1919* and to Council's satisfaction.

Reason

For the orderly operation of the buildings.

(131) ALLOCATION OF CAR WASH BAYS

If car wash bays are provided, spaces must not at any time be allocated, sold or leased to an individual owner/occupier and must be strictly retained as common property by the Owners Corporation for use by all tenants in any future strata plan.

Reason

To ensure designated areas within the development are maintained as common property

(132) STRATA TITLE PARKING SPACES AND STORAGE AREAS

All parking spaces and storage areas other than visitor parking or service spaces must form part of a residential or commercial strata unit in any future strata subdivision. No parking spaces or storage spaces are to have their own individual strata title.

Reason

To prevent the sale of individual car parking spaces.

(133) USE OF COMMON AREAS AND FACILITIES

Any common areas or common facilities must be available for the use all residents of the building and must be designated as common property on any future strata subdivision of the site, with no exclusive use rights.

Reason

To ensure designated areas within the residential development are maintained as common property.

(134) COMPLIANCE WITH REG 63 OF THE SURVEYING AND SPATIAL INFORMATION REGULATION 2024

The subdivision plan must show offsets where appropriate to the final surfaces of the major structural components of the building that are located within one metre of any proposed or existing vertical, horizontal or inclined boundary or easement, sufficient to satisfy sub-clauses (i), (j), (k) & (l) of Reg 63 of the *Surveying and Spatial Information Regulation 2024* and to the satisfaction of Council. All structural components of the buildings located within one metre of any proposed or existing boundary must be fully completed, with their final surfaces applied or constructed, prior to the subdivision plan being finalised.

Reason

To ensure the integrity of the Cadastre, compliance with the Regulation, and to inform lot owners and other stakeholders.

(135) STREET ADDRESSES OF LOTS

In accordance with Clause 61 of the *Surveying and Spatial Information Regulation 2024*, the street addresses for each lot must be shown on the Administration Sheet for the final plan of subdivision. An application must be made to Council's Spatial Information Systems Team, by email, prior to the lodgement of the subdivision application, to obtain the correct street address for each lot.

The street addresses allocated by Council must be provided to the Registered Surveyor by the applicant for inclusion in a schedule on the Administration Sheet.

Reason

To ensure street addresses are appropriately allocated, and subsequently issued to the State's emergency services divisions, police departments and postal service.

SCHEDULE 2

PRESCRIBED CONDITIONS

The applicant must comply with all relevant conditions contained in Part 4, Division 2, Subdivision 1 of the *Environmental Planning and Assessment Regulation 2021* which apply to the development:

Refer to the NSW State legislation for full text of the clauses under Part 4, Division 2, Subdivision 1 of the *Environmental Planning and Assessment Regulation 2021*. This can be accessed at: <http://www.legislation.nsw.gov.au>

